

*Always Good Times*



**Ski Catalog**  
23/24


**elan**™

# Handcrafted in the Slovenian Alps

ELAN is a dedicated ski manufacturer in the Slovenian Alps, with almost 80 years of experience building the best skis in the world, for friends and families who live the skiing lifestyle and are all about good times in the mountains.



**ELAN, BEGUNJE NA GORENJSKEM**  
PHOTO: ROŽLE BREGAR



**LAKE BLED**  
PHOTO: JANI KOLMAN



## Always Good Times®

Good times are what Elan is all about, and the best times are those spent with friends and family in the mountains. Whether it's a family weekend road trip to your favorite local destination or a backcountry adventure with your best friends, it's always good times when you surround yourself with the people you're closest to.





# W studio

At Elan W studio we strive to bring a global perspective on women's skiing. From everyday skiers to those who've dedicated their entire life to skiing, the team of women is working with Elan's R & D, designers, and engineers to ensure the best products for women.

All W studio innovations are created through a consumer-centered innovation approach to address the performance needs and enhance the overall experience of the brand for women.



We built a better product by listening to her preferences and finetuning the technology to propel her confidence in every turn. Our innovation is fed by her desire to bring laughter and energy to the mountains.

In the end, skiing is the freedom of expression, the energy of community, and the moment to have the time of your life. It is the good times.



# Innovation Delivers Experience

At Elan, we've been innovating for decades for one simple purpose – to make the skiing experience better for everyone, from beginner to expert. Decades of constantly pushing the design envelope – from sidecuts to constructions, materials to production processes – we challenge ourselves to design the best performance, highest quality, state-of-the-art products for friends and families to enjoy great days on the mountain. It is with this uncommon valor that we have committed our brand to this one goal, and to deliver on our promise to make every day the best day on snow for Elan skiers.



# Elan, Sustainable by Nature

Sustainability is a value that is deeply rooted in Elan's DNA. In fact, it's so ingrained in our culture, that we hardly noticed we've been committed to it for almost eighty years.

Every piece of equipment bearing the Elan name carries a guarantee of lasting quality and a commitment to environmental sustainability. Being sustainable by nature is a responsibility that shapes our business ethos and guides our production methods.

Sustainable business has been part of Elan's identity from its beginnings. Elan is the only international ski manufacturer that can claim to design, engineer, test, and manufacture its products by hand entirely in one place. The transfer of knowledge through multiple generations and efficient adaptation of our production processes allows us to have full vertical production at a single site in Begunje, Slovenia.



**Contribution to achieving Sustainable Development Goals (SDGs)**  
Elan supports the achievement of targets for sustainable development adopted by member states of the United Nations in 2015, representing a milestone on the global path to a more sustainable future.

Elan's main contribution to achieving the goals is focusing on:



Source: [sdgs.un.org](https://sdgs.un.org)



## 100% GREEN ELECTRIC ENERGY

electricity is generated from sustainable renewable energy sources.



## SOLAR PANELS

12% of our energy needs are met with our own solar-generated power.



## 1 SINGLE LOCATION

100% handcrafted in modern production.



## LOCAL SOURCING

68% of all materials are produced within a 400-kilometer radius of the company's headquarters.



## SOCIAL RESPONSIBILITY

Elan is a socially responsible company. It is a fact and our honest commitment. We owe it to all skiers and active-lifestyle enthusiasts in the present and to come. We responsibly support different activities, taking care of people and nature, for a better future.



## Green Star Certificate "Challenger" Recognition

Elan earned recognition as a "Determined Challenger", which indicates Elan's determination to fearlessly bring the company toward carbon neutral operation.



Find out more on Elan's  
sustainable approach here:




# PRIMETIME

## Carve Out a Good Time



Get equipped for the perfect ride. Every level of intensity is considered, various characters in your group will easily identify with it and you will have a great time together. Whether you are the fastest, the coolest or the most elegant one, this ski will empower you and maximum fun is guaranteed. And at the end of the day, you will feel some support that will make you go up again for another run. Times to remember. Times to share. Can't wait for the next day to continue.

Primetime reignites the excitement for the on-piste carving category by injecting a youthful design philosophy combined with a state-of-the-art construction process, resulting in a completely new collection that brings the fun back to carving.



# Playmaker

The Elan Playmaker goes full-send by blending the playful personality of a freestyle twin with the trusted capabilities of a directional freeride ski. 100% handcrafted in the Slovenian Alps, Playmaker features state of the art 3D construction with carbon rods that deliver lightweight pop and power. The bi-directional tip & tail rocker profiles allow you to surf and slash your way over any terrain, allowing you to make the entire mountain your playground.




## NEW DUAL FLOAT TECHNOLOGY

Dual Float Technology blends 3D Trapezoid construction which provides a stable and powerful platform under foot, while the razor thin profile in the tip and tail reduces weight and maximizes float, in either direction.

# Skier Journey 23/24



Every skier's journey is different, and choosing the right ski can be a daunting task. In 2023/24, we've further simplified our model offering and organized it in a way that's simple and easy to understand for everyone. Depending on the skier type, Elan customers can easily decide where they fit into our collection and decide on the next logical step in their skiing journey depending on their skiing preference.





On piste

# Voyager

The world's first fully functional, folding, all-mountain ski is making the mountains closer.

In our new world, one thing remains crystal clear - devoted skiers still want to spend their precious spare time in the mountains. And in the face of rapidly changing travel habits, anything that can make that goal easier to achieve is invaluable.

The result is a ski that allows you to bypass the wait at the oversize luggage belt. A ski that allows you to carve up groomers, float through powder, attack moguls and fit into the trunk of your car with plenty of room to spare for other luggage. It's designed to fit the needs of the traveling skier, that is passionate about striking a balance between a busy schedule and a healthy lifestyle.

## Connect Technology

Functionality, intuition, and long-term quality are the three main design drivers. Design emphasizes usefulness in a way that concentrates on essential only aspects and makes the product self-explanatory and intuitive. The ski delivers a never-seen-before folding functionality, delivering intuitive folding ability. The fold/unfold is achieved by rotational moves to allow snow or ice to slide out of the way.

The areas that are exposed to folding & rotation are designed with care for long-term usage, even after countless repetition.

## Amphibio Technology


Easy turning & Edge grip

## Connect Technology

A highly advanced mechanism that bonds and seals the ski together at the folding joint.

## Connect Technology

All components slip together and seal securely, making a structurally strong, robust and lively ski for a great experience.





# VOYAGER GREEN/BLACK/PINK FUSION X

**Ultimate Travel Companion**  
Conveniently folding to under one meter for easy transport and designed to happily tackle any terrain a demanding skier can throw at it, Voyager blends convenience with performance without sacrifice.

CODE	AARHLL20 (Green), AARHLK20 (Black), AARHLM20 (Pink)		
PROFILE	Amphibio		
TECHNOLOGY	Amphibio Technology, Connect technology, Laminated Woodcore, Titanium reinforcement, Carbon Box		
GEOMETRY	127	78	110
LENGTH RADIUS	154(11.5), 160 (12.6), 166 (13.7), 172 (14.9), 178 (16.0)		
SYSTEM/PLATE	Voyager plate		
BINDING	EMX 12.0 GW FUSION X		



# Making the Mountains Closer

## With Elan Voyager Package

Voyager luggage redefines ski travel and the storage of ski equipment. Both Voyager bags are designed for packing folded skis and poles and to unlock new travel experiences from home to your favorite ski resort while reducing gear storage space between adventures.



## What Fits in Voyager Bags?

### SKIER ON THE GO

The next ski adventure is just around the corner. Ski gear is completely packed in a Voyager travel bag, anticipating the next destination. Whether by plane, train, or automobile, Voyager is always ready to go. Travel is nimble, easy and fast. No oversize luggage lines, no equipment rental lines, Voyager is the express lane from the living room to having fun on the slopes.

### THE URBAN TRAVELER

The connection from home to the ski resort has never been easier. A compact Voyager 1 pair ski bag easily loads into the car. No roof rack or folding down the back seats necessary, enabling a simple drive to the favorite ski destination and discovering the best day on snow.



### VOYAGER TRAVEL BAG

The world's most space-efficient and stylish roller ski bag designed to transport and travel with Elan's Voyager skis, poles, and much more all in one bag!

**CODE\_** CG110620000

**FEATURE OVERVIEW\_** Split Large Two Main Compartments / Two zippered front pockets / Extendable handle / Silent wheels / Carrying handles / Two Internal mesh pockets / Name tag pocket

**MATERIAL\_** Highly Resistant Polyester (Polyester 600D), PVC

**CHECK-IN APPROVED\_** w+d+h < 156 cm

**DIMENSIONS / VOLUME\_** 102x25x31.5 cm, Volume: 75L

**WEIGHT\_** 7 kg

**COLOR\_** Black / Elan Green details

### VOYAGER 1-PAIR SKI BAG

The world's most premium and sleek ski bag specially designed to carry Elan's Voyager skis and poles. The compact size bag is perfect for easy and convenient travel.

**CODE\_** CG212020000

**FEATURE OVERVIEW\_** Large Main Compartment / Two zippered front pockets / Internal mesh pocket / Detachable shoulder strap / Carrying handles

**MATERIAL\_** Highly Resistant Polyester (Polyester 600D), PVC

**CHECK-IN APPROVED\_** w+d+h < 156 cm

**DIMENSIONS / VOLUME\_** 100x26x16 cm, Volume: 34L

**WEIGHT\_** 1.7 kg

**COLOR\_** Black / Elan Green details

### VOYAGER ROD

**CODE\_** CD927622000 / **TYPE\_** Adult / **LENGTH (CM)\_** 105-130cm (Telescopic), packed size 88Cm / **SHAFT\_** Alu 7075 / Carbon / **TUBE\_** Ø16mm (Alu 7075) / Ø14mm (Carbon) / **COLOR\_** Black / **GRIP\_** Race Rubber Grip / **STRAP\_** System strap wide / **BASKET\_** Race basket 5 mm

### VOYAGER BRUSH

**CODE\_** PSV00320

Conveniently remove snow from skis after use.

### VOYAGER SKI TOWEL

**CODE\_** PSV00220

To dry your skis before storage.

\*Bag contains snow removal brush and drying cloth only.

On Piste



# Primetime

Carve Out a Good Time




Primetime reignites the excitement for the on-piste carving category by injecting a youthful design philosophy combined with a state-of-the-art construction process, resulting in a completely new collection that brings the fun back to carving. New technology allows the skier to harness the potential of the collection, with less effort for endless carving, regardless of experience. From seasoned speed lovers to recreational rippers, the models of the Primetime collection are strategically designed to maximize control, performance, and accuracy and do it with ease, so you can focus on all the experiences that make a ski day great.



## Power Match Technology

With Power Match Technology, the construction of the ski is matched to how the skier puts power to the snow, allowing the skier more natural control of the inside and outside edges for the most intuitive feel throughout the turn.







# PRIMETIME 55

## FUSION X

### Speed Demon

The most exact ski of the collection, Primetime 55 rules in edge-to-edge quickness and delivers elite carving capacity with a smooth energetic feel.

CODE	ABBKEW23, ABBKEWC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, DualDensity Woodcore, Dual Ti
GEOMETRY	121    69    102
LENGTH RADIUS	144(10.0) 151(12.2) 158(12.5) 165(13.7) 172(15.1) 179(16.5)
SYSTEM/PLATE	Fusion X
BINDING	EMX 12.0 GW FUSION X BLK/GRN, PROTECTOR 13.0 GW FX




# PRIMETIME 55+

## FUSION X

### Turn Burner

The Primetime 55+ sits on a broader platform for additional support and balance for an outrageous ride, without sacrificing agility.

CODE	ABBKJW23, ABBKJWC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, DualDensity Woodcore, Dual Ti
GEOMETRY	130    74    111
LENGTH RADIUS	144(9.3) 151(10.4) 158(11.5) 165(12.8) 172(14.0) 179(15.3)
SYSTEM/PLATE	Fusion X
BINDING	EMX 12.0 GW FUSION X BLK/ SIL, PROTECTOR 13.0 GW FX




# PRIMETIME 44

## FUSION X

### The Early Bird

With effortless accessibility to power and elevated edge quickness, Primetime 44 provides exciting carving performance and a playful ride.

CODE	ABCKLG23, ABCKLGC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, DualDensity Woodcore, Mono Ti
GEOMETRY	121    69    102
LENGTH RADIUS	144(10.0) 151(12.2) 158(12.5) 165(13.7) 172(15.1) 179(16.5)
SYSTEM/PLATE	Fusion X
BINDING	EMX 12.0 GW FUSION X BLK/ORG, PROTECTOR 13.0 GW FX



# PRIMETIME 33

## FUSION X

### Hot Lapper

Designed for all-day enjoyment, Primetime 33 blends a versatile footprint with inspiring edge quickness for an easy, high-energy experience.

CODE	ABDKLK23, ABDKLKC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, Power Woodcore, Mono Ti
GEOMETRY	127    73    111
LENGTH RADIUS	144(9.1) 151(10.1) 158(11.1) 165(12.2) 172(13.5) 179(14.7)
SYSTEM/PLATE	Fusion X
BINDING	EM 11.0 GW FUSION X BLK/ GRN, PROTECTOR 11.0 GW FX





## PRIMETIME N°5 W POWER SHIFT

### Piste Maven

The most exact ski of the collection, Primetime N°5 rules the piste in quickness and carving prowess with a smooth energetic feel that has no speed limit.

CODE	ACBKLN23, ACBKLNC3 (Prot.)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, DualDensity Woodcore, Dual Ti
GEOMETRY	121    69    102
LENGTH RADIUS	144(10.0) 151(12.2) 158(12.5) 165(13.7) 172(15.1)
SYSTEM/PLATE	Power Shift
BINDING	ELW 11.0 GW SHIFT BLK/ COR, PROTECTOR SHIFT 11.0 GW




## PRIMETIME N°4+ W POWER SHIFT

### Turn Burner

The Primetime N°4+ sits on a broader platform for additional support and balance for an inspiring ride, without sacrificing agility.

CODE	ACCKLR23, ACCKLRC3 (Prot.)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, Dual Density Woodcore, Mono Ti
GEOMETRY	130    74    111
LENGTH RADIUS	144(9.3) 151(10.4) 158(11.5) 165(12.8)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW




## PRIMETIME N°4 W POWER SHIFT

### The Early Bird

With effortless accessibility to power and elevated edge quickness, Primetime N°4 provides an exciting and playful ride.

CODE	ACCKLU23, ACCKLRC3 (Prot.)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, Dual Density Woodcore, Mono Ti
GEOMETRY	121    69    102
LENGTH RADIUS	144(10.0) 151(12.2) 158(12.5) 165(13.7)
SYSTEM/PLATE	Power Shift
BINDING	ELW 11.0 GW SHIFT BLK/ PURPLE, PROTECTOR SHIFT 11.0 GW



## PRIMETIME N°3 W POWER SHIFT

### Hot Lapper

Designed for all-day enjoyment, Primetime N°3 blends a versatile footprint with energizing quickness for an enjoyable experience on snow.

CODE	ACDKLU23, ACDKLXC3 (Prot.)
PROFILE	Amphibio
TECHNOLOGY	RST sidewall, Power Match Technology, Power Woodcore, Mono Ti
GEOMETRY	127    73    111
LENGTH RADIUS	144(9.1) 151(10.1) 158(11.1) 165(12.2)
SYSTEM/PLATE	Power Shift
BINDING	EL 10.0 GW SHIFT BLK/TRQ, PROTECTOR SHIFT 10.0 GW



On Piste

# Element


Always in Balance, Always in Control

At Elan, skiing is a lifestyle. Whether you only go once a year or aspire to summit the highest peaks, it's all about experiencing the good times with friends and family. The spirit of our brand is inspired by the purest form of winter joy from powder days to carving perfect corduroy, from smiling in the sunshine on the lift with friends to toasting a day shared on the slopes together at après. Skiing is made of countless priceless moments. In effort to harmonize these moments with the feelings and motion of skiing, Elan developed a category designed to make good skiers and good times, even better.



## Groove Technology

Groove Technology is ultimate confidence booster. It harmonizes balance and control with rib-shaped energizers that create a uniform flex profile, helping skiers find the stability they need to excel on the mountain. In the turn, the grooves assure a powerful, energized performance.




### Groove Technology

Ultimate confidence booster while providing balance, control and ease

### Power Shell





Great stability without adding weight to the ski



### Parabolic Rocker

Easy turning, less effort





# ELEMENT GREEN LIGHT SHIFT

## Love at first carve

A true game improvement tool,  
The Element is designed to boost  
your confidence on the snow  
helping you find the balance and  
control to link turns all day long.

CODE	ABGKLD23
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)
SYSTEM/PLATE	Light Shift
BINDING	EL 10.0 GW SHIFT BLK/GRN

# ELEMENT BLUE RED LIGHT SHIFT

CODE	ABGKLC23
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)
SYSTEM/PLATE	Light Shift
BINDING	EL 10.0 GW SHIFT BLK/RED

# ELEMENT W WHITE LIGHT SHIFT

CODE	ABGKLF23
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)
SYSTEM/PLATE	Light Shift
BINDING	EL 9.0 GW SHIFT BLK/BLK

# ELEMENT W BLUE LIGHT SHIFT

CODE	ABGKLE23
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)
SYSTEM/PLATE	Light Shift
BINDING	EL 9.0 GW SHIFT BLK/BLK



On Piste



# Ace


Power & Control to Take Charge



For more than 75 years, traditional ski racing has been the pinnacle of competition in our sport - the true test of skiing skill and the ultimate proving ground for new products and innovations. But as the skiing landscape has evolved over the last decade, new forms of competition have emerged that fly in the face of conventional ski racing and are inspiring a new generation of competitors - a generation of ski-cross racers that want to defy conventional wisdom and pioneer new ways of expression and competition. This is Ski Cross and THIS is the future of Elan racing - time to shift gears!

## Ace Arrow Technology

Ace Arrow Technology allows you to make your turns with the precision of a razor blade. Arrow tip and tail turn each command into motion. Arrow technology is the utilization of strategically shaped plates and titanium structural layers in the ski that work in harmony to deliver a lightning quick response with world-class precision and accuracy. A cambered carbon composite plate is fixed to the ski and acts as a booster that generates power to the tip and tail. The upper arrow shaped titanium layer gathers and transfers this energy simultaneously which translates into instant superior edge pressure, while the lower inverse arrow shaped titanium layer brings quickness and lightness to turn entry and stability on turn exit without added weight.







## ACE SCX FUSION X/PLATE

### Multiturn Hybrid

Built with racing DNA, this Crossover between a short and long turn ski, allows you to choose what kind of turn you will make with perfection.

CODE	AAJHRC21, AAJHRC2C (Protector), AAJHRF21 (plate)		
PROFILE	Camber		
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti, Power Rebound System		
GEOMETRY	113	67	100
LENGTH RADIUS	155(13.5), 161(14.3), 167(15.1), 173(15.9), 179(16.7)		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX		



## ACE GSX FUSION X

### Speed & Power

The GSX Fusion is the perfect tool for long turns, high speeds and leaves nothing but two trenches and a vapor trail behind.

CODE	AAJHRB21, AAJHRB2C (Protector)		
PROFILE	Camber		
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti, Power Rebound System		
GEOMETRY	110	69	94
LENGTH RADIUS	169(17.4), 174(19.0), 179(21.1)		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX		



## ACE SLX FUSION X

### Powerful Agility

A combination of power and energy allows you to explode from one slalom turn to the next with precision on the SLX Fusion.

CODE	AAKHRD21, AAKHRD2C (Protector)		
PROFILE	Camber		
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti, Power Rebound System		
GEOMETRY	121	68	104
LENGTH RADIUS	154(11.0), 159(12.0), 164(12.8), 169(13.5)		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX		




## ACE SL FUSION X

### Slalom Carver

Built with the DNA of the SLX Fusion in a more manageable construction, the SL Fusion is a race car that leaves enough fuel in the tank for all day carving enjoyment.

CODE	AALHRE21, AALHRE2C (Protector)		
PROFILE	Camber		
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, MonoTi, Power Rebound System		
GEOMETRY	121	68	104
LENGTH RADIUS	154(11.0), 159(12.0), 164(12.8), 169(13.5)		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 11.0 GW FUSION X BLK/GRN, PROTECTOR 11.0 GW FX		




## ACE SPEED MAGIC SLX

### POWER SHIFT

*Dressed like a lady, performs like a beast*

Designed for expert level skiers with racing in their DNA, the Speed Magic is the ultimate carving tool for women who grip it and rip it on the groomers and keep coming back for more.

CODE	AALKNL23, AALKNLC3 (Prot)
PROFILE	Camber
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, DualTi, Power Rebound System
GEOMETRY	120 68 103
LENGTH RADIUS	145(10.5), 154(11.0), 159(12.0), 164(12.8), 169(13.5)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR 11.0 GW FX



## ACE SPEED MAGIC PRO

### POWER SHIFT

*Understated Performance*

Built with DNA of the Speed Magic in a more manageable construction, powered with Power Shift, is even lighter than the big sister, but still gives you the excitement on the piste.

CODE	ACAJSR22
PROFILE	Camber
TECHNOLOGY	EST Sidewall, Channel Woodcore, Mono Ti
GEOMETRY	119 72 103
LENGTH RADIUS	142(10.4), 150 (11.9), 158(13.7)
SYSTEM/PLATE	Power Shift
BINDING	EL 9.0 GW SHIFT BLK/BLK



Race



**RYAN REGEZ**  
Olympic  
Champion and  
Overall World  
cup Winner




PHOTO: GEPA IMAGES

# World Cup Ace

Power & Control to Take Charge



For more than 75 years, traditional ski racing has been the pinnacle of competition in our sport - the true test of skiing skill and the ultimate proving ground for new products and innovations. But as the skiing landscape has evolved over the last decade, new forms of competition have emerged that fly in the face of conventional ski racing and are inspiring a new generation of competitors - a generation of ski-cross racers that want to defy conventional wisdom and pioneer new ways of expression and competition. This is Ski Cross and THIS is the future of Elan racing - time to shift gears!



ACE GSX WORLD CUP X PLATE

CODE	AABHTZ21, AABHTY21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Dual Ti
GEOMETRY	Ski cross approved
LENGTH RADIUS	185(≥25.1), 191(≥27)
SYSTEM/PLATE	Flat, RACEPLATE WCR 14
BINDING	ER 17.0 FREEFLEX ST ER 18 FREEFLEX




ACE GSX WORLD CUP PLATE

CODE	AABHTX21, AAHTW21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Dual Ti
GEOMETRY	Conform to FIS
LENGTH RADIUS	188 (≥30), 193 (≥30)
SYSTEM/PLATE	Flat, RACEPLATE WCR 14
BINDING	ER 17.0 FREEFLEX ST ER 18.0 X FREEFLEX ST RD



ACE GSX MASTER PLATE

CODE	AABHRA21
TECHNOLOGY	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti
GEOMETRY	110 69 94
LENGTH RADIUS	174(19.0), 179(21.1), 181(23.9)
SYSTEM/PLATE	RACEPLATE EVO 14, RACEPLATE WCR 14
BINDING	ER 17.0 FREEFLEX ST



ACE SLX WORLD CUP PLATE

CODE	AAEHUB21, AAEHUA21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Dual Ti
GEOMETRY	FIS approved
LENGTH RADIUS	157 (≥11.5), 165 (≥12.6)
SYSTEM/PLATE	Flat / RACEPLATE WCR 14
BINDING	ER 17.0 FREEFLEX ST ER 18.0 X FREEFLEX ST RD



ACE GSX TEAM PLATE

CODE	AACHUH21, AACHUG21 (flat), AACHUD21, AACHUC21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Fibreglass* / Dual Ti**
GEOMETRY	FIS approved
LENGTH RADIUS	134(≥13.0)*, 142(≥15.0)*, 150(≥15.0)*, 158(≥17.0)***, 166(≥17.5)***, 171(≥20.5)***, 176(≥23)***, 182(≥25)**
SYSTEM/PLATE	Flat, RACEPLATE WCR TEAM RACEPLATE WCR 14 (size 182)
BINDING	ER 11.0 GW FREEFLEX, ER 14.0 GW FREEFLEX



ACE SLX TEAM PLATE

CODE	AAFHUK21, AAFHUJ21 (flat), AAFHUF21, AAFHUE21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Fibreglass (only for lengths 133 and 139)* / Dual Ti**
GEOMETRY	FIS approved
LENGTH RADIUS	133(≥10.5)*, 139(≥10.5)*, 145(≥11.0)***, 151(≥11.5)***, 157 (≥11.5)**
SYSTEM/PLATE	Flat, RACEPLATE WCR TEAM
BINDING	ER 11.0 GW FREEFLEX, ER 14.0 GW FREEFLEX



ACE RCX PLATE

CODE	AAHHUM21, AAHHUL21 (flat)
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Fibreglass
GEOMETRY	FIS approved
LENGTH RADIUS	122(≥8.5), 128(≥9.8)
SYSTEM/PLATE	Flat, RACEPLATE WCR TEAM
BINDING	ER 11.0 GW, EL 7.5

All Mountain



# Wingman

The Ultimate All Mountain Companion



The Wingman series fuses Elan's award-winning technologies with a fresh take on all-mountain skiing. Built to enhance the energy of the all-mountain skier in any condition and terrain, the Wingman always has your back. As the closest bridge to the Ripstick collection, the Wingman is built with the next evolution of Elan's modern asymmetrical ski design. Amphibio Tech with Truline influencing the profile and construction of dedicated right and left skis to make the perfect turn.

**The Wingman collection** exhibits unique traits that contribute to a more eco friendly product line.



The New Wingman reinforces Elan's commitment to more sustainable ski production. New construction allows us to use 20% less material overall to produce a high-performance all-mountain ski. All wood used in production is sustainably sourced and traceable, with guaranteed reforestation. The collection utilizes digital printing which reduces volatile organic chemical waste, along with transparency in the graphic to further limit the amount of ink used in the graphic production.

READ MORE  
FOR ADDITIONAL  
SUSTAINABLE  
INITIATIVES BY ELAN  
GROUP:





## WINGMAN 86 CTI

### FUSION X/FLAT


#### The Alpine All-Terrain SUV

The Wingman 86 CTi blends the finesse to tackle off-piste terrain with powerful carving capability, making it your ultimate mountain companion.


CODE	ABUKHF23, ABUKHFC3 (Prot) ABMKHG23 (flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Tubelite Woodcore, Carbon Rods
GEOMETRY	130    86    115
LENGTH RADIUS	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)
SYSTEM/PLATE	Fusion X / Flat
BINDING	EMX 12.0 GW FUSION X BLK/GRN, PROTECTOR 13.0 GW FX



#### NEW DESIGN & CONSTRUCTION



#### NEW DESIGN & CONSTRUCTION



## WINGMAN 86 TI

### FUSION X/FLAT


#### Smooth Operator

The perfect combination of performance and ease, Wingman 86 Ti offers a smooth ride in all conditions thanks to its robust footprint and construction.

CODE	ABVKHK23, ABVKHKC3 (Prot) ABPKHN23 (flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Mono Ti
GEOMETRY	130    86    115
LENGTH RADIUS	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)
SYSTEM/PLATE	Fusion X / Flat
BINDING	EMX 11.0 GW FUSION X BLK/BLK, PROTECTOR 11.0 GW FX



#### NEW DESIGN & CONSTRUCTION



## WINGMAN 82 CTI

### FUSION X/FLAT


#### Piste Superior

Nimble and quick, the Wingman 82 CTi carves like a knife on hard pack and navigates ungroomed snow with superior confidence.

CODE	ABVKJG23, ABVKJGC3 (Prot) ABNKJN23 (flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Tubelite Woodcore, Carbon Rods
GEOMETRY	129    82    112
LENGTH RADIUS	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)
SYSTEM/PLATE	Fusion X / Flat
BINDING	EMX 12.0 GW FUSION X BLK/ORG, PROTECTOR 13.0 GW FX



#### NEW DESIGN & CONSTRUCTION



## WINGMAN 82 TI

### POWER SHIFT/FLAT


#### Cruise Control

Ideal for effortless all mountain carving and cruising, the Wingman 82 Ti has the power to push your limits without a punishing feel.

CODE	ABXKJR23, ABXKJRC3 (Prot) ABRKKJ23 (flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Mono Ti
GEOMETRY	129    82    112
LENGTH RADIUS	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)
SYSTEM/PLATE	Power Shift / Flat
BINDING	ELX 11.0 GW SHIFT BLK/ORG, PROTECTOR SHIFT 11.0 GW



#### NEW DESIGN



## WINGMAN 78 TI

### POWER SHIFT


#### Trusted Co-Pilot

Built for pilots looking to take performance to the next level, the Wingman 78 Ti has the stability and sweet spot that allows you to push the envelope.

CODE	ABYKJP23, ABYKKPC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, PowerShell, Power Woodcore, Mono Ti
GEOMETRY	125    78    104
LENGTH RADIUS	152(11.6), 160(13.1), 168(14.6), 176(16.2)
SYSTEM/PLATE	Power Shift
BINDING	ELS 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW



#### NEW DESIGN



## WINGMAN 78 C

### POWER SHIFT

#### Power Carver

Like a jet on auto-pilot, the Wingman 78 C delivers a smooth, fun ride without added weight and work.

CODE	ABYKKS23, ABYKKSC3 (Prot)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, PowerShell, Power Woodcore, Carbon
GEOMETRY	125    78    104
LENGTH RADIUS	152(11.6), 160(13.1), 168(14.6), 176(16.2)
SYSTEM/PLATE	Power Shift
BINDING	EL 10.0 GW SHIFT BLK/GRN, PROTECTOR SHIFT 10.0 GW



# Wingman Black Edition

Ultimate Wingman

Premium carbon materials and timeless design are merged with trailblazing construction, bringing the performance and versatility of Wingman to unsurpassed levels. With best in class power, stability, and edge grip, our best all-mountain skis just got more horsepower. You've been warned.

**Tubelite Woodcore**  
For energy and liveliness

**Sintered Running Base**  
Excellent gliding

**Amphibio Truline Technology**  
For optimal tip to tail edge pressure

**Carbon Line Technology**  
Light construction  
Playfull turns  
High speed stability

**Carbon Rods**  
For lightweight & powerful rebound

**Amphibio Profile**  
Easy turning & edge grip



NEW DESIGN



## WINGMAN 86 BLACK EDITION ULTIMATE WINGMAN

The Wingman 86 Black Edition elevates performance to an even higher level by blending the finesse to tackle off-piste terrain with powerful carving capability, and our smoothest ride, making it an elite companion for the mountains.

CODE	ABTKRA23, ABTKRAC3 (Prot)		
PROFILE	Amphibio		
TECHNOLOGY	Amphibio TruLine Technology, Carbon Line Technology, SST sidewall, Tubelite Woodcore, Carbon Rods		
GEOMETRY	130	86	115
LENGTH RADIUS	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 12.0 GW FUSION X BLK/SIL, PROTECTOR 13.0 GW FX		

All Mountain



# Wildcat

The Ultimate Companion for Confidence and Adventure in Any Snow Condition

Designed by women, the Wildcat line is built to optimize and enhance the energy and performance of the female skier in any condition or terrain. As the closest bridge to the Ripstick W collection, the Wildcat fuses Elan's award-winning technologies, including the most advanced asymmetrical ski design for women - Amphibio Truline W Technology - with a fresh take on all-mountain skiing.



## Amphibio Truline W Technology

Amphibio Truline W Technology is the most advanced asymmetrical ski design on the market for women, designed and tested by the Elan W Studio. The foundation is a leaner, more agile profile; structural material is strategically placed over the full length of the inside ski edge, providing more stability to power the turn, while less material is applied over the outside edge, allowing for quick and smooth perfection within each turn.




**Amphibio Profile**  
Easy turning & edge grip




**Reinforcement**  
For added Inside edge pressure



**SST Sidewall**  
For direct power transmission



**Tubelite Woodcore**  
For energy and liveliness




## WILDCAT 86 CX

### POWER SHIFT/FLAT

#### Mountain Lioness

As the widest ski in the series, the Wildcat 86 CX offers the best of both worlds; ready to take on soft, deep snow on the backside of the mountain, or dominate groomers with speed and stability.

CODE	ACRHF22, ACRHFWC2 (Prot), ACMHF222 (Flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Tubelite Woodcore, Carbon Rods
GEOMETRY	127 86 113
LENGTH RADIUS	152(12.9) 158(13.8) 164(14.7) 170(15.6)
SYSTEM/PLATE	Power Shift/ Flat
BINDING	ELW 11.0 GW SHIFT BLK/ PURPLE, PROTECTOR SHIFT 11.0 GW




## WILDCAT 82 CX

### POWER SHIFT/FLAT

#### Cat-Like Quickness

The Wildcat 82 CX is designed to reign supreme as a master of all-mountain performance in any conditions and terrain with quickness and grip.

CODE	ACSHGC22, ACSHGCC2 (Prot), ACNHHG22 (Flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Tubelite Woodcore, Carbon Rods
GEOMETRY	129 82 112
LENGTH RADIUS	146(11.0) 152(11.0) 158(12.0) 164(13.1) 170(14.3)
SYSTEM/PLATE	Power Shift/ Flat
BINDING	ELW 11.0 GW SHIFT BLK/ TRQ, PROTECTOR SHIFT 11.0 GW




## WILDCAT 82 C

### POWER SHIFT/FLAT

#### Joyful cat

Nimble and quick, the Wildcat 82 C carves on the hardpack with precision and smoothly navigates ungroomed snow with confidence.

CODE	ACTHGJ22, ACTHGC2 (Prot), ACPHGN22 (Flat)
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement
GEOMETRY	129 82 112
LENGTH RADIUS	146(11.0) 152(11.0) 158(12.0) 164(13.1)
SYSTEM/PLATE	Power Shift
BINDING	ELW 9.0 GW SHIFT BLK/ PURPLE, PROTECTOR SHIFT 11.0 GW



## WILDCAT 76

### LIGHT SHIFT

#### Happy cat

Ideal for effortless all mountain carving and cruising, the Wildcat 76 has the power to expand your limits by inspiring you with confidence & ease through every turn.

CODE	ACUHT22
PROFILE	Amphibio
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore,
GEOMETRY	127 76 104
LENGTH RADIUS	144(10.1) 150(11.5) 158(13.9) 166(14.4)
SYSTEM/PLATE	Light Shift
BINDING	ELW 9.0 GW SHIFT BLK/TRQ



# Wildcat Black Edition

The Elan W Studio Black Edition collection is the peak of high performance skis. Elegant style and timeless design are merged with a state-of-the-art carbon construction that takes both Wildcats 76 C and 86 C performance and versatility to the next level delivering unmatched smoothness and power. Our best all-mountain skis just got stronger.



**Carbon Reinforcement**

**SST Sidewall**

For direct power transmission

**Sintered Running Base**

Excellent gliding

**Amphibio Truline technology**

For optimal tip to tail edge pressure

**Laminated Woodcore**

For energy and liveliness

**Amphibio Profile**

Easy turning & edge grip




## WILDCAT 86 C BLACK EDITION

POWER SHIFT

**Style and Power**  
MEOW! Make a statement with the Black Edition Wildcat, the ultimate combination of style and power that's guaranteed to be noticed as you link effortless turns in any condition.

CODE	ACRJHG22, ACRJHGC2 (Prot)		
PROFILE	Amphibio		
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement		
GEOMETRY	127	86	113
LENGTH RADIUS	152(12.9), 158(13.8), 164(14.7), 170(15.6)		
SYSTEM/PLATE	Power Shift		
BINDING	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW		



## WILDCAT 76 C BLACK EDITION

POWER SHIFT

**Elegance and Grace**  
BLING! Make a statement with the classy new Black Edition Wildcat. The ultimate combination of elegance and grace that's guaranteed to get you noticed on the mountain.

CODE	ACRJHK22, ACRJHKC2 (Prot)		
PROFILE	Amphibio		
TECHNOLOGY	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement		
GEOMETRY	127	76	104
LENGTH RADIUS	144(10.1), 150(11.5), 158(13.9), 166(14.4)		
SYSTEM/PLATE	Power Shift		
BINDING	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW		

Freeride Twin



# Playmaker

Designed to make the mountain your playground



The Elan Playmaker goes full-send by blending the playful personality of a freestyle twin with the trusted capabilities of a directional freeride ski. 100% handcrafted in the Slovenian Alps, Playmaker features state of the art 3D construction with carbon rods that deliver lightweight pop and power. The bi-directional tip & tail rocker profiles allow you to surf and slash your way over any terrain, allowing you to make the entire mountain your playground.

## Dual Float Technology


Dual Float Technology blends 3D Trapezoid construction which provides a stable and powerful platform under foot, while the razor thin profile in the tip and tail reduces weight and maximizes float, in either direction.



**Surf Rocker**  
Bi-Directional Flotation




**Carbon Rods**  
For stability and power rebound



**Tubelite Woodcore**  
For energy and playfulness



**Dual Float Technology**  
Perfect amount of tip and tail turn-up trapezoid 3D shape for lightness



**360° Sidewall**  
For energy, liveliness and lightness






## PLAYMAKER 101

### Most Valuable Player

Playmaker 101 perfectly blends the confident performance of a freeride ski with the personality of a freestyle twin. From pillows and spines, to wind lips and jump lines the 101 waist delivers the versatility to crush top to bottom laps in any condition and terrain.

CODE	ACXKFP23
PROFILE	Surf Rocker
TECHNOLOGY	Dual Float Technology, Tubelite woodcore, Carbon rods, 360 sidewall
GEOMETRY	132 101 122
LENGTH RADIUS	164 (16.0) 172 (17.0) 180 (18.1) 188 (19.5)
WEIGHT	1760 +/- 50g (180)
SYSTEM/PLATE	flat
BINDING	ATTACK 14 MN W_0 BRAKE 110 [A], ATTACK 11 GW W_0 BRAKE 110 [A] (W)




## PLAYMAKER 91

### Rookie of The Year

The Swiss army knife of freeride twins, Playmaker 91 is narrow enough to slash through tight trees, wide enough to surf through new snow, and playful enough to drop into the terrain park on a sunny afternoon with your squad.

CODE	ACYKFR23
PROFILE	Surf Rocker
TECHNOLOGY	Dual Float Technology, Tubelite woodcore, Carbon rods, 360 sidewall
GEOMETRY	122 91 116
LENGTH RADIUS	156(15.0), 164(16.0), 172(17.0), 180(18.1), 188(19.5)
WEIGHT	1630 +/- 50g (180)
SYSTEM/PLATE	flat
BINDING	ATTACK 14 MN W_0 BRAKE 95 [A], ATTACK 11 GW W_0 BRAKE 95 [A] (W)





# Ripstick




Built for the Toughest Terrain and Conditions, the Name Says it All.

Designed and built to handle the most challenging terrain in any snow condition the mountain can dish out, the Ripstick series is the ultimate Freeskiing tool for demanding skiers. Constructed with a progressive shape and Amphibio Carbon Line technology to maximize weight savings and stability, the Ripstick delivers uncompromised versatility and smooth performance. With the addition of the Amphibio profile, Carbon Rods, and SST sidewall construction for power and precision, the Ripstick floats like a butterfly and springs like a ski.

## Carbon Line Technology

Amphibio Carbon Line technology is a combination of innovations that provide the best balance of lightweight construction with power and performance. Amphibio Carbon Line technology elevates the asymmetrical ski design to the next level by strategically locating carbon reinforcement over the inside edges of the skis providing more power in the turn, while carbon rods inserted into the woodcore maximize weight savings and overall stability. The end result is an extremely lightweight high performance ski with uncompromised versatility and smooth performance.




**Amphibio profile**  
Easy turning & edge grip

**Carbon Line Technology**  
High speed stability



**Tubelite Woodcore**  
Strong, light, dynamic



**SST Sidewall**  
For direct power transmission



**Carbon Rods**  
For lightweight & powerful rebound







# RIPSTICK 116

## Float and Slash

Our widest big mountain freeride ski is designed by our athletes and pushed by the worlds best, the Ripstick 116 floats and slashes down the world's steepest and deepest lines.

CODE	ADAJFD22		
PROFILE	Amphibio		
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass		
GEOMETRY	146	114	132
LENGTH RADIUS	177(19.4), 185(20.4), 193(23.3)		
WEIGHT	1900g +/- 50g (185)		
SYSTEM/PLATE	Flat		
BINDING	ATTACK 17 MN W_O Brake 130 [A]		



## RIPSTICK 106

### Plake's Pick

The Ripstick 106 is the ultimate freeride ski for any terrain. From boundary line to base lodge, peak to parking lot, and trailhead to tailgate this ski excels in all conditions. No wonder it's Glen's favorite ski from the Elan collection!

CODE	ADBJFN22		
PROFILE	Amphibio		
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass		
GEOMETRY	143	106	120
LENGTH RADIUS	164(16.0), 172(17.0), 180(18.1), 188(20.4)		
WEIGHT	1830 +/- 50g (180)		
SYSTEM/PLATE	Flat		
BINDING	ATTACK 14 MN W_O Brake 110 [A]		




## RIPSTICK 96

### Peak Performer

Praised by magazine testers and professional skiers alike for it's unique blend of lightweight performance, the Ripstick 96 is proven to be the ultimate freeride ski in all snow conditions.

CODE	ADCJFX22		
PROFILE	Amphibio		
TECHNOLOGY	Carbon Line Technology, (SST sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass		
GEOMETRY	136	96	110
LENGTH RADIUS	164(15.1), 172(16.2), 180(18.0), 188(19.5)		
WEIGHT	1650 +/- 50g (180)		
SYSTEM/PLATE	Flat		
BINDING	ATTACK 14 MN W_O Brake 95 [A]		




## RIPSTICK 88

### Freeride Meets Frontside

The Ripstick 88 is the perfect combination of versatility, agility, and performance for every condition the mountain can dish out.

CODE	ADDJG622		
PROFILE	Amphibio		
TECHNOLOGY	Carbon Line Technology, (SST sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass		
GEOMETRY	130	88	105
LENGTH RADIUS	148(13.0), 156(13.7), 164(14.2), 172(15.4), 180(17.0), 188(18.9)		
WEIGHT	1550g +/- 50g (180)		
SYSTEM/PLATE	Flat		
BINDING	ATTACK 11 GW W_O Brake 95 [A]		




## RIPSTICK 102 W

### *Rip the Steep and Deep*

The Ripstick 102 W is designed by women for skiers who aggressively push their limits and seek out the toughest lines and deepest pow – all while putting the boys to shame.

CODE	ADFJHA22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	143 104 120
LENGTH RADIUS	154(15.0), 162(15.8), 170(17.0), 178(18.1)
WEIGHT	1750g +/- 50g (170)
SYSTEM/PLATE	Flat
BINDING	ATTACK 14 MN BRAKE 110 [A]




## RIPSTICK 94 W

### *No boundaries*

The Ripstick 94 W is perfect freeride tool for any adventure. From front side to back side, from resort to backcountry, you can trust this ski is the right choice, no matter what the conditions.

CODE	ADFJHB22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	136 94 110
LENGTH RADIUS	146(13.2), 154(14.0), 162(15.0), 170(16.2), 178(18.0)
WEIGHT	1570g +/- 50g (170)
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW BRAKE 95 [A]



## RIPSTICK 88 W

### *Gateway to freeride*

Designed by women looking for versatility and progression, from front side groomers to back side bowls, the Ripstick 88 W is wide enough, strong enough, and bold enough to handle whatever the mountains dish out.

CODE	ADFJHC22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	130 88 105
LENGTH RADIUS	146(13.0), 154(13.7), 162(14.2), 170(15.4), 178(17.0)
WEIGHT	1445g +/- 50g (170)
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW BRAKE 95 [A]



# Ripstick

## Black Edition

Setting the Standard


Premium style and timeless design are merged with a state-of-the-art carbon construction that takes the Ripsticks performance and versatility to the next level providing unsurpassed power and stability. The best freeride skis just got a lot more muscle.

**Tubelite woodcore**  
Strong, light, dynamic

**Quadrod Reinforcement**  
For lightweight & powerful rebound

**SST Sidewall**  
For direct power transmission


**Carbon Line Technology**  
High speed stability



### RIPSTICK 106 BLACK EDITION

**Stealth Technology**  
The search for a powder ski that destroys hardpack is officially over. Designed with Glen Plake, the new Ripstick 106 Black Edition utilizes game changing QuadRod Technology to defeat the myth that fat skis are only for soft snow, and proves hard charging skis can also be light and playful without sacrificing power and stability.


CODE	ADBKMA23
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST sidewall, TubeLite Woodcore, QuadRod Reinforcement
GEOMETRY	143 106 120
LENGTH RADIUS	164(16.0), 172(17.0), 180(18.1), 188(20.4)
WEIGHT	1900g/ski +/- 50 g (180)
SYSTEM/PLATE	Flat
BINDING	ATTACK 14 MN W_O Brake 110 [A]



### RIPSTICK 96 BLACK EDITION

**Tactical Freeride**  
A perennial favorite of magazine testers and professional skiers alike and known for its stable, powerful feel, the new Ripstick 96 Black Edition is ready to over-deliver on their promise to skiers looking for the ultimate, all-condition freeride ski.

CODE	ADCKMD23
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST sidewall, TubeLite Woodcore, QuadRod Reinforcement
GEOMETRY	136 96 110
LENGTH RADIUS	164(15.1), 172(16.2), 180(18.0), 188(19.5)
WEIGHT	1710g/ski +/-50 g (180)
SYSTEM/PLATE	Flat
BINDING	ATTACK 14 MN W_O Brake 95 [A]



### RIPSTICK 94W BLACK EDITION

**Refined Freeride Performance**  
A perennial favorite of magazine testers and professional skiers alike and known for its stable, powerful feel, the new Ripstick 94 W Black Edition is ready to over-deliver on their promise to female skiers looking for the ultimate, all-condition freeride ski.

CODE	ADEJMW22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, (SST sidewall), TubeLite Woodcore, QuadRod Reinforcement
GEOMETRY	136 94 110
LENGTH RADIUS	146(13.2), 154(14.0), 162(15.0), 170(16.2), 178(18.0)
WEIGHT	1590g +/- 50g (170)
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW BRAKE 95 [A]



Ski Touring

# Ripstick Tour

Light-Weight Equipment for Backcountry Exploration

The Elan Ripstick Tour was created for touring skiers with the intent to deliver the superior downhill performance of a freeride ski at a fraction of the weight for uphill efficiency. The series is designed from the ground up with the goal of pushing skiing performance to the maximum without losing focus on the functionality necessary for comfortable climbs. The engine that allows us to blend these concepts is Carbon Bridge Technology; a revolutionary solution where a single carbon rod is placed on top of the ski, to provide stability at speed and vibration absorption through the tip in variable snow, without a weight penalty.

## Carbon Bridge Technology

Carbon Bridge Technology is a revolutionary solution where a single carbon rod is placed on the upper part of the ski and provides stability and vibration absorption through the tip.







# RIPSTICK TOUR 94

## Mountain Warrior

The new Ripstick Tour 94 is designed on a wider platform, enabling the skier to float better, ski faster, and turn easier in backcountry conditions.

CODE	ADHKHS23
PROFILE	Amphibio
TECHNOLOGY	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass
GEOMETRY	129    94    109
LENGTH RADIUS	157 (12.0), 164(13.7), 171(15.6), 178(17.4), 185(19.4)
WEIGHT	1490 +/- 50g (178)
SYSTEM/PLATE	Flat
BINDING	C-RAIDER 12 2.0 - 97 mm




## RIPSTICK TOUR 88

### Peak Bagger

The Elan Ripstick Tour 88 is the ski that the touring world has been waiting for. Lightweight, floaty, fast, stable, strong, and versatile - all at the same time.

CODE	ADKKHV23
PROFILE	Amphibio
TECHNOLOGY	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass
GEOMETRY	128    88    108
LENGTH RADIUS	148 (13.7), 156(14.8), 163(15.6), 170(16.8), 177(17.6), 184(18.8)
WEIGHT	1330 +/- 50g (177)
SYSTEM/PLATE	Flat
BINDING	C-RAIDER 12 2.0 - 91 mm




## RIPSTICK TOUR 94W

### Free(ride) spirit

Elan's Ripstick Tour 94 W is designed for adventurous women who want all of the benefits of lightweight technology in a wider chassis designed for bigger mountains and deeper snow.

CODE	ADHKHY23
PROFILE	Amphibio
TECHNOLOGY	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass
GEOMETRY	129    94    109
LENGTH RADIUS	157 (12.0), 164(13.7), 171(15.6), 178(17.4)
WEIGHT	1410 +/-50g (171)
SYSTEM/PLATE	Flat
BINDING	C-RAIDER 12 2.0 - 97 mm



## RIPSTICK TOUR 88W

### Adventure seeker

The Elan Ripstick Tour 88 W is the ski that the touring world has been waiting for. Lightweight, floaty, fast, stable, strong, and versatile - all at the same time.

CODE	ADKKJB23
PROFILE	Amphibio
TECHNOLOGY	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass
GEOMETRY	127    88    106
LENGTH RADIUS	148 (13.7), 156(14.8), 163(15.6), 170(16.8), 177(17.6)
WEIGHT	1150 +/-50g (163)
SYSTEM/PLATE	Flat
BINDING	C-RAIDER 12 2.0 - 91 mm



# RIPSTICK TOUR 104

### Hall of Fame

Glen Plake's first signature model has been a long time in the making and with the combined experience of Plake and Elan, a ski worthy of his signature is born. The Ripstick Tour 104 was designed and tested from the ground up by Elan ambassador and freeskiing pioneer Glen Plake, and blends the lightweight construction necessary for efficient ascents with the legendary performance and style of Glen.

CODE	ADGJSC21
PROFILE	Amphibio
TECHNOLOGY	Carbon Bridge Technology, 360° Sidewall, Laminated Woodcore, Carbon Reinforcement, Fiberglass
GEOMETRY	129 104 122
LENGTH RADIUS	166(19.0), 173(21.5), 180(23.0), 187(25.4)
WEIGHT	1540 +/- 50g (180)
SYSTEM/PLATE	Flat
BINDING	C-RAIDER 12 2.0 - 108 mm



Speed Touring



# Lynx


Built for Effortless Climbing and Speed Touring Performance



The LYNX series was designed for those who know that every gram counts when it comes to being fast on the ascent. These skis deliver an exceptionally light, yet strong and stable feel. From racing, to long, fast-paced ski tours, the LYNX series incorporates Elan's AirLite Technology, using a carefully selected and shaped wood core which reduces the weight to the minimum for uphill efficiency, while EST-Touring sidewall results in effortless and confident descents. Up or down, Elan's LYNX series sets the standard in high-performance Touring skis.

## Airlite Technology

AirLite is a unique lightweight ski technology that offers the best ratio of weight to performance in the race world. A technically perfected 3D shape in combination with innovative core construction, establishes strength and stability of the ski at an unbelievably light weight.






## LYNX 82 UL

### Ultra-light Speed Touring

At just 1040 g (171 cm), Lynx 82 UL is a perfect choice for performance oriented touring skiers looking for ultralight skis that excel in any snow condition. Superlight materials and AirLite technology are combined with EST touring sidewalls resulting in the perfect blend of efficiency and confidence. Enjoy the climb.

CODE	ADSKCZ23		
PROFILE	Early Rise Rocker		
TECHNOLOGY	AirLite Technology, EST-Touring, AirLite Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base		
GEOMETRY	121	82	103
LENGTH RADIUS	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)		
WEIGHT	1040 g +/- 50g (171)		
SYSTEM/PLATE	flat		
BINDING	S-RAIDER 10 - 86 mm		




## LYNX 82

### Uphill Efficiency Meets Downhill Performance

Lynx 82 is a fitness-oriented touring ski, owning the best blend of lightweight, downhill confidence and durability. Light materials and AirLite technology are combined with EST touring sidewalls resulting in the perfect blend of efficiency and confidence. Enjoy the climb.

CODE	ADTKCW23		
PROFILE	Early Rise Rocker		
TECHNOLOGY	AirLite Technology, EST-Touring, Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base		
GEOMETRY	121	82	103
LENGTH RADIUS	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)		
WEIGHT	1240 g +/- 50g (171)		
SYSTEM/PLATE	flat		
BINDING	S-RAIDER 10 - 86 mm		




## LYNX 82 W

### Lightweight Speed Touring Skis

Lynx 82 W is a fitness-oriented touring ski, owning the best blend of lightweight, downhill confidence and durability. Light materials and AirLite technology are combined with EST touring sidewalls resulting in the perfect blend of efficiency and confidence. Designed specifically for women.

CODE	ADUKRP23		
PROFILE	Early Rise Rocker		
TECHNOLOGY	AirLite Technology, EST-Touring, Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base		
GEOMETRY	121	82	103
LENGTH RADIUS	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)		
WEIGHT	1240 g +/- 50g (171)		
SYSTEM/PLATE	flat		
BINDING	S-RAIDER 10 - 86 mm		




## LYNX 65 UL

### Super Light and Super Fast

At just 690 g, Lynx sets a new benchmark in touring performance. Superlight materials and AirLite technology are combined with EST touring sidewalls resulting in the perfect blend of efficiency and confidence. Enjoy the climb.

CODE	ADPJZH22		
PROFILE	Early Rise Rocker		
TECHNOLOGY	AirLite Technology, EST-Touring, AirLite Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base		
GEOMETRY	94	65	80
LENGTH RADIUS	150(22.0), 160(23.0)		
WEIGHT	690 +/- 30g (160)		
SYSTEM/PLATE	Flat		
BINDING			



Ski Touring



# Ibex Tactix

Revolution in the Skiing Experience

Traditional ski equipment poses many limitations for easy transportation during adventures in the mountains across snow, rocks and other mixed terrain. In order to make the transport of skis easier, Elan created a foldable ski with high-end ski performance and zero mobility limitations. It easily attaches to a pack quickly and securely. It will amaze alpinists and other outdoor enthusiasts, aiming for technical climbing assents followed by skiing. The ski is also certified for a helicopter crew in need of deploying with all gear attached.



NEW  
MODEL



## IBEX TACTIX

**Simple to carry, easy to ski**

Traditional ski equipment poses many limitations for easy transportation during adventures in the mountains across snow, rocks and other mixed terrain. In order to make the transport of skis easier, Elan created a foldable ski with high-end ski performance and zero mobility limitations. It easily attaches to a pack quickly and securely. It will amaze alpinists and other outdoor enthusiasts, aiming for technical climbing assents followed by skiing. The ski is also certified for a helicopter crew in need of deploying with all gear attached.

CODE	ADXKCQ23		
PROFILE	Mountain Rocker		
TECHNOLOGY	Bridge Technology, TubeLite Woodcore, Folding ski Technology, Fibreglass, Carbon Rods		
GEOMETRY	120	84	105
LENGTH RADIUS	163(18.0), 170(19.0)		
WEIGHT	2320 g +/- 50 g/ski (with bindings)		
SYSTEM/PLATE	Tactix plate		
BINDING	TACTIX 12 - 86 mm		

# Elan by ATK Bindings

Performing through lightness

Elan by ATK touring bindings are engineered to the highest performance standards. Providing the lightest, most reliable and enjoyable approach to the mountain.

## QUALITY AND SAFETY

Quality and safety are some of the most important features when considering touring equipment. That is why Elan bindings are designed and tested in the ATK laboratory to assure every binding meets exact standards to provide predictable release, retention, and performance. We use durable aluminum components to withstand years of use, backed by best in class low warranty rates.

## RELIABILITY AND EXCLUSIVITY

ATK BINDINGS® products have built their identity on excellence: an incomparable lightness combined with the highest quality and functionality, immediately brought out the full potential of ATK® bindings, creating a unique product, meant to offer the best performance ever.

## TECHNOLOGY AND INNOVATION

Continuous innovation and technological research ranging from production methods to the exploration of new patented systems. All components of Elan by ATK bindings are CNC machined thus obtaining maximum precision and reliability.

## MADE IN EUROPE

The entire production process (concept to product delivery), is realized by Italian ingenuity and craftsmanship, as a guarantee of the highest quality standards, innovation and design.

## SERVICE – 360°

The technical competence, the customization of the service and the speed of intervention of ATK professionals are some of the strengths that allow to win the trust of all those customers who require a reactive, effective and resolving service.



## Technology



### CAM RELEASE SYSTEM

The patented CAM RELEASE SYSTEM® is fitted inside of our touring bindings heels in order to drive the boot step-in and vertical release in case of fall.



### SNOW PACK PROOF

A special design of the toe part that avoids any snow/ice/debris build-up under the hooking elements.



### EASY ENTRY SYSTEM

This system is characterized by a new geometry of the toe part elements.



### MAGNETO HEEL FLAPS

Simple magnet system providing stabilization of the heel flaps.



### ELASTIC RESPONSE SYSTEM

Grants the natural ski flex, also in case of big jumps/compressions.




### UP-HILL HARDNESS VARIATOR

A multi-position selector is inserted between the front lever and the toe lug.



### AUTOMATIC BRAKE SYSTEM

An extraordinary innovative system which requires no further action for activating the rear ski brake.



### RELEASE ADJUSTMENT TOE PIECE

The new toe part by ATK Bindings features adjustable release settings and combined with the heel piece it delivers top class stability.

## Binding Collection

### F-RAIDER 15 EVO

Futuristic design for outstanding performances

CODE\_ DTTB2723

WEIGHT\_ 395 g

DIN\_ 7-15

ADJUSTMENT\_ 25 mm

BRAKE OPTIONS [MM]\_ 97/102/108/120

WALKING MODES [MM]\_ Flat, +35 mm, +49 mm

MATERIALS\_ Alu 7075, Stainless Steel, POM

HEEL ELASTIC TRAVEL\_ 12 mm (E.R.S.)



NEW  
MODEL

F-RAIDER 15 EVO is a new ski touring binding which display the best of ATK Bindings' technology applied to the Freeride Touring category. F-Raider 15 Evo is not just a binding, it is a work of art: a futuristic design for outstanding performances. A new heel piece with an automatic ski-brake and enhanced toe piece with adjustable release settings on both sides. With Freeride Spacer included!

TECHNOLOGY



C-RAIDER 12 2.0

Confident and efficient

CODE\_ DTTB2022  
WEIGHT\_ 305 g  
DIN\_ 5-12  
HEEL ADJUSTMENT\_ 25 mm  
BRAKE OPTIONS [MM]\_ 86/91/97/108/120  
WALKING MODES\_ Flat, +26.5, +40mm  
MATERIALS\_ Alu 7075, Stainless Steel, POM, 30% Carbon Fiber Composite  
HEEL ELASTIC TRAVEL\_ 12 mm (E.R.S.)  
OPTIONAL\_ Freeride Spacer



The Carbon RAIDER 12 is one of the lightest touring bindings with a 12 DIN and brakes, on the market. The carbon-reinforced toe pad ensures optimal edge pressure distribution while the aluminum frame, heels, and essential parts kick the performance and durability to the next level.



S-RAIDER 10

Lightness and simplicity

CODE\_ DTTB2923  
WEIGHT\_ 250 g  
DIN\_ 4-10  
HEEL ADJUSTMENT\_ 20 mm  
BRAKE OPTIONS [MM]\_ 86/91/97  
WALKING MODES\_ Flat/ +34/ + 50 mm  
MATERIALS\_ Alu 7075, Stainless Steel, POM  
HEEL ELASTIC TRAVEL\_ 10 mm (E.R.S.)



NEW MODEL

S-RAIDER 10 is a new ski touring binding aimed at Speed Touring category. Extremely light and robust, these bindings are versatile and reliable. All-purpose bindings which fill in the gap between racing and adjustable bindings. Perfect for expert athletes, younger skiers, and ski mountaineers who love steep downhill runs and keep an eye for reliability and versatility.



J-RAIDER 5

Free junior

CODE\_ DTTB2823  
WEIGHT\_ 290 g  
DIN\_ 1,5-5  
ADJUSTMENT\_ 50 mm  
BRAKE OPTIONS [MM]\_ 86/91/97/102  
WALKING MODES [MM]\_ Flat, +50 mm  
MATERIALS\_ Alu 7075, Stainless Steel, POM, 30% Fiberglass Nylon  
HEEL ELASTIC TRAVEL\_ 10 mm (E.R.S.)



J-RAIDER 5 is the first fully dedicated PIN system binding for juniors and tweeners. At 290 g per piece, it enables younger touring enthusiasts to follow and explore nature and mountains completely and comfortably.



RAIDER 12 DEMO 2.0

Multi User Innovation

CODE\_ DTTB2322  
WEIGHT\_ 450 g  
DIN\_ 5-12  
ADJUSTMENT\_ 60 mm (30 toe, 30 heel)  
BRAKE OPTIONS [MM]\_ 86/91/97/108/120  
WALKING MODES [MM]\_ Flat, +26.5, +40mm  
MATERIALS\_ Alu 7075, Stainless Steel, POM  
HEEL ELASTIC TRAVEL\_ 8 mm (E.R.S.)




RAIDER 12 DEMO is one of the most compact and lightest demo touring bindings on the market. With no tools needed and length adjustment of 60 mm, you can accommodate virtually any boot size with lightning-fast speed.



RAIDER 10 DEMO

Range expert

CODE\_ DTTB0521  
WEIGHT\_ 380 g  
DIN\_ 5-10  
ADJUSTMENT\_ 80 mm (30 toe, 50 heel)  
BRAKE OPTIONS [MM]\_ 86/91/97/108/120  
WALKING MODES [MM]\_ Flat/ +26.5/ +40  
MATERIALS\_ Alu 7075, Stainless Steel, POM  
HEEL ELASTIC TRAVEL\_ 8mm (E.R.S.)



RAIDER 10 DEMO is a convenient variation of the Raider 12 Demo binding. It has an extended length adjustment range which adjusts a staggering 80 mm to assure virtually any boot sole on the market will fit.



ATK CRAMPON

CODE\_ DTTC0121  
WEIGHT\_ 68 g (91mm)  
SIZE\_ 75/86/91/97/102/108/120  
COMPATIBLE\_ all bindings



FREERIDE SPACER 2.0

Provides a wider heel platform for better pressure distribution to the ski, improving performance on wider chassis.

\*Available as a spare part. Included already on F Rider 15 EVO.

CODE\_ DTTC2322  
WEIGHT\_ 29 g  
COMPATIBLE\_ C-RAIDER 12 2.0, F-RAIDER 15 EVO (skis over 94 mm)



KEVLAR CORE LEASH

CODE\_ DTTC0421  
WEIGHT\_ 15 g



Elan Climbing Skins

Proven, fast and secure

Human-powered skiing and skinning into the mountains bring priceless good times with friends and family, especially when you can unconditionally rely on the highest level of functionality and performance from your equipment. **With Pomoca® Skin Technologies**, our skins excel with their performance and outstanding ease of use.

Free Pro 2.0  
Ultralight & Packable

Developed especially for freeriders, this skin makes no compromise: ultralight, excellent grip, and very good glide. Once on the top, the Free Pro 2.0 is so packable that you can almost carry it in your pocket!



RIPSTICK



TYPE\_ pre-cut skin  
FIXATION TIP\_ Buckle  
FIXATION TAIL\_ Tail strap

MODEL\_ RIPSTICK 88W/88 FREE  
CODE\_ DTS31023  
LENGTHS\_ 146/148, 154/156, 162/164, 170/172, 178/180, 188

MODEL\_ RIPSTICK 94/96 FREE  
CODE\_ DTS31123  
LENGTHS\_ 146, 154/156, 162/164, 170/172, 178/180, 188

MODEL\_ RIPSTICK 102/106 FREE  
CODE\_ DTS31423  
LENGTHS\_ 154/156, 162/164, 170/172, 178/180, 188

MODEL\_ RIPSTICK 116 FREE  
CODE\_ DTS31623  
LENGTHS\_ 177, 185, 193

Climb 2.0  
Best Value

The Climb 2.0 is the classical proved POMOCA mix skin, developed for every skier. Lightweight and with an accurate design, it will always help you to reach your goals.



RIPSTICK TOUR



TYPE\_ pre-cut skin  
FIXATION TIP\_ Metal Hook  
Ripstick Tour  
FIXATION TAIL\_ Tail Strap

MODEL\_ RIPSTICK TOUR 88W/88 CLIMB  
CODE\_ DTS32423  
LENGTHS\_ 148, 156, 163, 170, 177, 184

MODEL\_ RIPSTICK TOUR 94W/94 CLIMB  
CODE\_ DTS32623  
LENGTHS\_ 157, 164, 171, 178, 185

MODEL\_ RIPSTICK TOUR 104 CLIMB  
CODE\_ DTS32823  
LENGTHS\_ 166, 173, 180, 187

LYNX



TYPE\_ pre-cut skin  
FIXATION TIP\_ Race tip  
FIXATION TAIL\_ Tail strap

MODEL\_ LYNX 82 CLIMB  
CODE\_ DTS33423  
LENGTHS\_ 150, 157, 164, 171, 178

RIPSTICK TOUR TWEENER



TYPE\_ pre-cut skin  
FIXATION TIP\_ Buckle  
FIXATION TAIL\_ Tail strap

MODEL\_ RIPSTICK TOUR 80T CLIMB  
CODE\_ DTS33623  
LENGTHS\_ 120, 130, 140, 150, 160

RIPSTICK TWEENER



TYPE\_ pre-cut skin  
FIXATION TIP\_ Buckle  
FIXATION TAIL\_ Tail strap

MODEL\_ RIPSTICK 86TW/86T CLIMB  
CODE\_ DTS31823  
LENGTHS\_ 138, 148, 158, 168

RACE PRO 2.0  
World Champions' Choice

The Race Pro 2.0 skin is the choice of the World Cup athletes. With a glide never achieved before, thanks to the velvet and the GLIDE PRO treatment, it is a must to win races.



LYNX RACE



TYPE\_ Race skin  
FIXATION TIP\_ Race tip  
FIXATION TAIL\_ /

MODEL\_ LYNX 65 RACE  
CODE\_ DTS33023  
LENGTHS\_ 150, 160

The technologies of POMOCA are based on a deep understanding of snow, enhanced by research and development. Textile engineers and chemists work hand-in-hand with mountain guides and athletes. Together they modify the materials' contact surfaces and thus push the effectiveness of climbing skins to unimaginable heights.

EVER DRY



The first skin treatment on the market which does not contain any perfluorocarbon. The EVER DRY 3.0 is used to treat all ELAN skins, making the whole ELAN skins collection PFC-Free!

GLIDE PRO



Skins with GLIDE offer an effective process for the entire life of the skin, and unique antiglopping performance. Skins with GLIDE PRO offer exceptional extra glide, which is essential for high-level competitors.

GRIP



A combination of materials and weaving techniques to combine glide and durability with gripping power.

SSL



A 100% waterproof membrane that completely blocks the absorption of moisture and guarantees good glue performance on a dry base. SSL makes the pair of skins about 60-75g lighter while remaining 100% waterproof.

SSUL



A membrane combining optimal lightness with the durability of the Safer Skin Light. SSUL does not only reduce the weight but also the size of the skin while maintaining the same level of performance.

SWISS MADE

All Mountain



# Tweener

Youthful Quality

The key to a long-lasting relationship with skiing is keeping the passion alive from childhood to adulthood. At Elan we value the pivotal point in ski careers for both pre-teens and teenagers, and understand their need for the best product to advance their skills, because good product leads to good times.

For those looking to perfect their gate turn and advance in the racing world, Elan's RC Ace is built to step up your game. For those adventuring into softer snow or entering the world of Freeride the RC Wingman and Ripstick 86 T and TW are the best options out there for the next generations of skiers. For kids and youngsters eager to explore new territories on skis, the Ripstick Tour 80T presents a perfect ski touring all-rounder.



# RC Skis



## Technology

### EST Sidewall

Extended sidewall construction, delivering perfect power transmission from skier to the edge and stability of the ski is uncompromised.

### Channel Woodcore


Specially designed for kids, where channels are cut into poplar core, delivering responsiveness and optimal flex at the same time.



### RC WINGMAN JRS

**Ski like dad**  
RC Wingman is designed for advanced junior skiers and provides the right combination of flex, torsional stability, and edge grip.


CODE	AENKKB23
PROFILE	Camber Profile
TECHNOLOGY	EST Sidewall, Channel Woodcore, Fibreglass
GEOMETRY	115 70 100
LENGTH RADIUS	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS BLK



### RC ACE JRS

**Rising Star**  
The RC Ace is designed for aspiring young racers and provides the right combination of flex, torsional stability, and edge grip.

CODE	AELJNS22
PROFILE	Camber Profile
TECHNOLOGY	EST Sidewall, Channel Woodcore, Fibreglass
GEOMETRY	115 70 100
LENGTH RADIUS	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS BLK



### RC MAGIC JRS

**Ski like mom**  
RC Magic is designed for advanced junior female skiers, and provides the right combination of flex, torsional stability, and edge grip.

CODE	AEMJNT22
PROFILE	Camber Profile
TECHNOLOGY	EST Sidewall, Channel Woodcore, Fibreglass
GEOMETRY	115 70 100
LENGTH RADIUS	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS WHT





## RIPSTICK 86 T

### ***Ticket to (free) ride***

Built for the next generation of free skiing, the Ripstick 86T offers junior freeriders a perfect blend of lightweight construction, performance and maneuverability in any situation.

CODE	AEJJVN22
PROFILE	Mountain Rocker
TECHNOLOGY	SST Sidewall, Laminated Woodcore, Fibreglass
GEOMETRY	123   86   112
LENGTH RADIUS	138(11.5), 148(12.9), 158(15.0), 168(16.7)
WEIGHT	1270g +/- 50g
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW W_ O BRAKE 95 [A], J-RAIDER 5 - 91 mm



## RIPSTICK 86 TW

### ***Ticket to (free) ride***

Built for the next generation of free skiing, the Ripstick 86TW offers junior freeriders a perfect blend of lightweight construction, performance and maneuverability in any situation.

CODE	AEKJVP22
PROFILE	Mountain Rocker
TECHNOLOGY	SST Sidewall, Laminated Woodcore, Fibreglass
GEOMETRY	123   86   112
LENGTH RADIUS	138(11.5), 148(12.9), 158(15.0), 168(16.7)
WEIGHT	1270g +/- 50g
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW W_ O BRAKE 95 [A], J-RAIDER 5 - 91 mm



## TWIN COMPOUND WOODCORE

Specially designed for Teenager touring skis, Twin Compound Woodcore is a perfect match of wooden reinforcing structure for lightness, responsiveness and power, and PU material for added smoothness.




## RIPSTICK TOUR 80 T










### ***Young Adventurer***

Developed especially for juniors, the Ripstick Tour 80T is a lightweight, easy to handle touring ski for introductory ski touring adventures and well rounded performance. Pairs perfectly with lightweight kids touring binding J-RAIDER 5.

CODE	ADLKHE23
PROFILE	Early Rise Rocker
TECHNOLOGY	Full Power Cap, Twin-Compound Woodcore, Fibreglass
GEOMETRY	112   80   97
LENGTH RADIUS	120(11.5), 130(12.5), 140(13.0), 150(14.0), 160(15.0)
WEIGHT	980g +/- 50g (140)
SYSTEM/PLATE	Flat
BINDING	J-RAIDER 5 - 86 mm



Resort Twin Tip



SLING SHOT  
FLAT

**Lean mean freestyle machine**  
Looking forward to your next freestyle session? The Slingshot is built to encourage creativity and freedom to progress in the park, pipe and beyond.

CODE	ADJRPA22
PROFILE	JIB Rocker
TECHNOLOGY	Monoblock, Laminated Woodcore, Fibreglass
GEOMETRY	118 86 113
LENGTH RADIUS	149(11.9), 156(12.9) 161(14.0), 166(15.2) 171(16.3), 176(17.5)
SYSTEM/PLATE	Flat
BINDING	ATTACK 11 GW W_O BRAKE 95 [A]

PRODIGY  
LIGHT SHIFT/FLAT

**Smooth freestyle**  
If you're looking for good times in the park and pipe, the Prodigy delivers. Well balanced in the air designed to explore terrain features, this twin has you covered.

CODE	AESJPB22, AESJPC22 (Flat)
PROFILE	JIB Rocker
TECHNOLOGY	Full Power Cap, Dual Woodcore, Fibreglass
GEOMETRY	116 84 111
LENGTH RADIUS	155(13.8), 165(16.1), 175(18.4)
SYSTEM/PLATE	Light Shift / Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK, ATTACK 11 GW W_O BRAKE 95 [A]

LEELOO  
LIGHT SHIFT/FLAT

**Freestyle for Her**  
If you're looking for good times in the park and pipe, the Leeloo delivers. Well balanced in the air designed to explore terrain features, this twin has you covered.

CODE	AESJPG22, AESJPH22 (Flat)
PROFILE	JIB Rocker
TECHNOLOGY	Full Power Cap, Dual Woodcore, Fibreglass
GEOMETRY	116 84 111
LENGTH RADIUS	155(13.8), 165(16.1), 175(18.4)
SYSTEM/PLATE	Light Shift / Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK, ATTACK 11 GW W_O BRAKE 95 [A]

PRODIGY TEAM  
JRS/FLAT

**Stepping it Up**  
The Prodigy Team delivers Always Good Times in the park and pipe, for growing skiers looking to step up their progression in slopestyle.

CODE	AETJPD22, AETJPE22 (Flat)
PROFILE	EarlyRise Rocker
TECHNOLOGY	Full Power Cap, Synflex, Fibreglass
GEOMETRY	112 81.5 107
LENGTH RADIUS	125(9.6), 135(10.9), 145(12.3)
SYSTEM/PLATE	Junior Shift / Flat
BINDING	EL 4.5_7.5 GW CA JRS WB BLK

LEELOO TEAM  
JRS/FLAT

**Stepping it Up**  
The Leeloo Team delivers Always Good Times in the park and pipe, for growing skiers looking to step up their progression in slopestyle.

CODE	AETJPJ22, AEUJPK22 (Flat)
PROFILE	EarlyRise Rocker
TECHNOLOGY	Full Power Cap, Synflex, Fibreglass
GEOMETRY	112 81.5 107
LENGTH RADIUS	125(9.6), 135(10.9), 145(12.3)
SYSTEM/PLATE	Junior Shift / Flat
BINDING	EL 4.5_7.5 GW CA JRS WB BLK

PRODIGY PRO  
JRS

**Microshred's toy**  
Unleash your creativity with the Prodigy Pro, a smooth, easy riding twin tip design that was created specifically for kids.

CODE	AETJPF22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	105 72 97
LENGTH RADIUS	95(5.4), 105(7.0), 115(8.8)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5 GW CA JRS BLK

LEELOO PRO  
JRS

**Microshred's toy**  
Unleash your creativity with the Leeloo Pro, a smooth, easy riding twin tip design that was created specifically for kids.

CODE	AEUJPL22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	105 72 97
LENGTH RADIUS	95(5.4), 105(7.0), 115(8.8)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5 GW CA JRS WHT





On Piste

# Kids

Skiing As Easy As Walking

Elan has increased the fun factor for skier kids by 250%! Our exclusive U-Flex technology makes the ski 25% more flexible than the industry standard, allowing smaller, lighter skiers to carve turns as well as their parents. Elan offers a complete package of skis and boots that both feature U-Flex technology and provide the best possible performance combination for young skiers.



**FLEXING SKI BOOT**



**NEW  
JRS PLATE**




**FLEXING SKI**



**25% SOFTER FLEX**


**EASY TURNING = SIMPLE LEARNING**

Skis are 25% more flexible than the benchmark, enabling kids to make effortless smooth and easy turns for more fun on snow. These skis make skiing simple and fast to learn.




## JETT JRS

CODE	AFDJNV22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 69 90
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS BLK




## STARR JRS

CODE	AFDJNW22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 69 90
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS WHT




## SKY JRS

CODE	AFFKKE23
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 69 90
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS WHT



## MAXX BLUE JRS

CODE	AFDKKC23
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 69 90
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS BLK



## MAXX ORANGE JRS

CODE	AFDKKD23
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 69 90
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift
BINDING	EL 4.5_7.5 GW CA JRS BLK

**25% more flex,  
250% more fun**

All-Mountain Kids are the most innovative Junior skis available on the market thanks to Elan's patented U-Flex technology. U-Flex enables young skiers to fully flex the ski underfoot allowing them to feel the sensation of carving from their very first turn.

# U-Flex Ski Boot

Following the concept that improved flexibility improves and enhances learning, U-Flex technology has also been developed for ski boots. Now we can offer the market a complete package of skis + ski boots that makes skiing easier and more fun. The boot flexes according to the anatomy of the foot, further allowing for the natural flexibility of the ski for easy learning.

**1 OPTIMIZED SKI BOOT FLEX**

The Elan U-Flex ski boot allows the boot to flex in a way that enhances the natural movement of the toes and to easily follow the ski flex thanks to the front sole movement.

**2 KEEPS THE FEET WARM**

Kid's feet stay warm and comfortable thanks to the boot's flex, which allows them to move their toes, and the high quality of the materials used for the liners.

**3 VOLUME CONTROL PLATE**

With the volume control plate one ski boot size covers 3 foot sizes. Each ski boot is provided with an inside plate that modifies the inside volume and the ski boot's size depends on which side it is placed.

**4 SOLE**

The boot's sole moves together with the flex of the boot allowing the best flexibility.



## EZYY

**SALES CODE**  
RBJA0316 (EZYY XS),  
RBJA0117 (EZYY 1),  
RBJA0217 (EZYY 2)

**TECHNOLOGY**  
LightWeight (EZYY XS)  
U-Flex™, Volume Control  
Plate VCP (EZYY 1/2)

**CONSTRUCTION**  
Cabrio construction

**SHELL**  
Polipropylene

**LINER**  
Thermo insulating,  
Junior Comfort,  
Junior Last

**SIZE**  
150, 155, 160, 165 (EZYY XS),  
165, 175, 185, 195 (EZYY 1),  
205, 215, 225 (EZYY 2),

**BUCKLES**  
1 nylon buckle (EZYY XS/EZYY 1),  
2 nylon buckles (EZYY 2)

**COLOR**  
Green/White (EZYY XS),  
Green/White (EZYY 1),  
Green/Black (EZYY 2)

### Go with the flow

The Elan Ezzy kids ski boot is a flexible ski concept for kids that works in harmony with Elan's U-Flex technology to make skiing easier and help them progress rapidly.



EZYY 2



EZYY 1



EZYY XS

## BLOOM

**SALES CODE**  
RBJB0316 (BLOOM XS),  
RBJB0117 (BLOOM 1),  
RBJB0217 (BLOOM 2)

**TECHNOLOGY**  
LightWeight (BLOOM XS)  
U-Flex™, Volume Control  
Plate VCP (BLOOM 1/2)

**CONSTRUCTION**  
Cabrio construction

**SHELL**  
Polipropylene

**LINER**  
Thermo insulating,  
Junior Comfort,  
Junior Last

**SIZE**  
150, 155, 160, 165 (BLOOM XS),  
165, 175, 185, 195 (BLOOM 1),  
205, 215, 225 (BLOOM 2),

**BUCKLES**  
1 nylon buckle (BLOOM XS/1),  
2 nylon buckles (BLOOM2)

**COLOR**  
White/Pink

### Go with the flow

The Elan Bloom kids ski boot is a flexible ski concept for kids that works in harmony with Elan's U-Flex technology to make skiing easier and help them progress rapidly.



BLOOM 2



BLOOM 1



BLOOM XS

Rental



# Rental

Durability with performance

At Elan, we understand the importance of an outstanding rental ski collection. With our products, users are experiencing the magic of skiing, progressing faster and advancing in the sport. It is an important gateway to retain new committed skiers. From kids to adults and beginners to advanced, Elan is committed to offering a complete rental solution with simplicity. Selecting the right ski for your ability is easy and the technology is transferrable to our in-line collections, but upgraded with durable top sheets to withstand the variable use.



Rental

# Color Coding

Efficiency with Ease.



**Color Code**  
For easier and faster handling



**HD Power Shell**  
Edge reinforced cap construction



**Groove Technology**  
Always in balance, always in control.



**25% Bigger Sticker Area Coverage**  
For easy in shop recognition




**Fully Color Coded Shift Scale**  
Perfect solution for any rental shop. 4 Factor, U-Fit and single code markings make finding the right binding adjustment a matter of seconds. Even more robust and color coded is Track system.



**Parabolic Rocker**  
Easy turning, less effort


COLOR  
CODE



**ELEMENT 76**  
LIGHT SHIFT/TRACK

CODE	AGDKRS23, AGDKRT23 (track)
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, HD Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	120(7.4), 130(8.9), 140(10.6), 150(12.0), 160(13.5), 170(15.2), 175(16.9)
SYSTEM/PLATE	Light Shift, Track
BINDING	EL 10.0 GW SHIFT BLK/BLK ESP 10.0 GW Track PM

COLOR  
CODE



**ELEMENT 76 RS**  
LIGHT SHIFT/TRACK

CODE	AGCKMK23, AGCKML23 (Track)
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, HD Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	120(7.4), 130(8.9), 140(10.6), 150(12.0), 160(13.5), 170(15.2), 175(16.9)
SYSTEM/PLATE	Light Shift, Track
BINDING	EL 10.0 GW SHIFT BLK/BLK ESP 10.0 GW Track PM




**EXPLORE 80**  
POWER SHIFT

CODE	ABHKNK23
PROFILE	Early Rise Rocker
TECHNOLOGY	Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY	128 80 105
LENGTH RADIUS	144(11.1), 152(12.5), 160(14.2), 168(15.8), 176(17.5)
SYSTEM/PLATE	Power Shift
BINDING	EL 10.0 GW SHIFT BLK/GRN




**EXPLORE 80 W**  
LIGHT SHIFT

CODE	ABHKMG23
PROFILE	Early Rise Rocker
TECHNOLOGY	Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY	128 80 105
LENGTH RADIUS	144(11.1), 152(12.5), 160(14.2), 168(15.8), 176(17.5)
SYSTEM/PLATE	Light Shift
BINDING	EL 9.0 GW SHIFT BLK/BLK



**EXPLORE 74**  
LIGHT SHIFT

CODE	AGFKMM23
PROFILE	Parabolic Rocker
TECHNOLOGY	GrooveTip Technology, Full Power Cap, Mono Woodcore
GEOMETRY	122 74 103
LENGTH RADIUS	140(10.3), 146(11.3), 152(12.4), 160(13.9), 168(15.4), 176(17.1)
SYSTEM/PLATE	Light Shift, Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK



**EXPLORE 74 RS**  
LIGHT SHIFT

CODE	AGEKKY23
PROFILE	Parabolic Rocker
TECHNOLOGY	GrooveTip Technology, Full Power Cap, Dual Woodcore, Carbon
GEOMETRY	122 74 103
LENGTH RADIUS	152(12.3), 160(13.9), 168(15.4), 176(17.2)
SYSTEM/PLATE	Light Shift, Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK



SLING SHOT DEMO  
TRACK

CODE	ADRJUP22
PROFILE	JIB Rocker
TECHNOLOGY	Monoblock, Laminated Woodcore, Fibreglass
GEOMETRY	118    86    113
LENGTH RADIUS	149(11.9), 156(12.9), 161(14.0), 166(15.2), 171(16.3), 176(17.5)
SYSTEM/PLATE	Track
BINDING	ESP 10.0 GW Track PM




FREELINE BLUE  
QUICK SHIFT/TRACK

CODE	AGHHKG20, AGHJCE21 (track)
PROFILE	Camber
TECHNOLOGY	Full Power Cap, Syntflex, Fibreglass
GEOMETRY	115    76    105
LENGTH RADIUS	099(7.7), 125(8.5), 135(10.3)
SYSTEM/PLATE	
BINDING	EL 10.0 GW SHIFT BLK/BLK, ESP 10.0 GW Track



VARIO

CODE	AGIGLE20
PROFILE	Camber
TECHNOLOGY	Full Power Cap, Syntflex, Fibreglass
GEOMETRY	111    87    100
LENGTH RADIUS	099(7.7)
SYSTEM/PLATE	
BINDING	ARWOE V2



EXPLORE PRO  
JRS

CODE	AGKJUQ22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Syntflex, Fibreglass
GEOMETRY	101    67    91
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.3), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift screw BLK Color Coded
BINDING	EL 4.5_7.5 GW CA JRS BLK



EXPLORE

CODE	RBJR0114 (1), RBJR0214 (2)
TECHNOLOGY	U-Flex™, Volume Control Plate
CONSTRUCTION	Cabrio Construction
SHELL	Polypropylene
LINER	Thermo insulating, Junior comfort, Junior last
SIZE RANGE	165, 175, 185, 195 (Explore 1) - 205, 215, 225 (Explore 2)
BUCKLES	1 nylon buckle (165 – 195), 2 nylon buckles (205- 225)
BENEFITS	Color coding - Easy skiing - Warm feet - Easy entry
COLOR	Smoke/Green




# Primetime


## In Rental

In many ski areas around the world, there's a fine line between rental specific products and a retail products. The Primetime series was built to perform in both worlds. We paid close attention to design details that focus on increased durability and convenient servicing, with improved performance.


Applies to all  
Primetime models




**Sintered Running Base**  
For better gliding




**Fast, Easy, Tool-Free Binding Adjustment System**  
Faster customer service



**Additional UV Printing**  
For improved scratch resistance




**Rounded Top Edge With Semi Cap**  
Minimize chipping



**Strong Structured Heavy Duty Top Sheet**  
For extra durability



**Extended Tip Protector**  
For extra protection of exposed areas




# Ripstick

## In Rental

Our most popular freeride models are built to meet the rigorous needs of rental use and feature additional design elements that make the skis more durable and convenient to service, while maintaining the fun & playful characteristics of Ripstick.

Available in  
2 colors


**TIP PROTECTOR**  
For reduced chipping




**Structured Top Sheet**  
For increased durability



**Shift System**  
For quick adjustment



**Rounded Top Edge With Semi Cap**  
To minimize chipping



**Sintered Running Base**  
Smooth gliding, low maintenance



### RIPSTICK 88 RNT

#### POWER SHIFT

CODE	ADDJUF22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	130 88 105
LENGTH RADIUS	148(13.0), 156(13.7), 164(14.2), 172(15.4), 180(17.0), 188(18.9)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK

### RIPSTICK 88 W RNT

#### POWER SHIFT





CODE	ADFJUU22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	130 88 105
LENGTH RADIUS	146(13.0), 154(13.7), 162(14.2), 170(15.4), 178(17.0)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK



COLOR  
CODE

COLOR  
CODE

COLOR  
CODE



## EXPLORE C

CODE	BRC80218
PROFILE	Hyper Camber
TECHNOLOGY	Control Woodcore
GEOMETRY	272.5/233/272.5, 280/240/280, 283.5/243/283.5, 291.5/247/291.5, 295/252/295, 299/255/299
LENGTH RADIUS	135(6.1), 140(6.3), 145(6.5), 150(6.7), 155(7.4), 160(7.5)


## EXPLORE R

CODE	BRC80418
PROFILE	Jib Rocker
TECHNOLOGY	Control Woodcore
GEOMETRY	272.5/233/272.5, 280/240/280, 283.5/243/283.5, 291.5/247/291.5, 295/252/295, 299/255/299
LENGTH RADIUS	135(6.1), 140(6.3), 145(6.5), 150(6.7), 155(7.4), 160(7.5)

## EXPLORE PLUS R

CODE	BRD80618
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	290/248/290, 292.5/250/292.5, 294.5/252.5/294.5, 297/255/297, 310/265/305, 320/275/313, 326/285/320
LENGTH RADIUS	135(6.6), 145(7.2), 150(7.5), 155(7.6), 160(7.8), 165(7.9), 170(9.1)

COLOR  
CODE



## EXPLORE JR U-FLEX

CODE	BRE81018 (75, 85, 95)
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	195/179/195, 200/182/200, 205/183/205
LENGTH RADIUS	75(4.3), 85(5.0), 95(5.5)

## EXPLORE JR

CODE	BRE80818 (105, 115, 125)
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	210/186/210, 215/189/215, 258/225/258
LENGTH RADIUS	105(6.0), 115(6.4), 125(6.7)



## RENTAL FASTEC IC

CODE\_ CA969022  
SIZE\_ SM, ML, L, XL  
MATERIAL\_ PA+PU+EVA  
PLATFORM\_ INTERCHANGER with  
FT Multientry  
STRAPS\_ PU  
PADDING\_ EVA  
FIXATION\_ 4x4/3D



## RENTAL ACC VIP

CODE\_ CA962816  
SIZE\_ SM, ML  
MATERIAL\_ PA+EVA  
PLATFORM\_ ACC base + Compact High Back  
STRAPS\_ Elliptical  
PADDING\_ Standard  
FIXATION\_ Quick Rental



## RENTAL ACC BASIC

CODE\_ CA963016  
SIZE\_ SM, ML  
MATERIAL\_ PA+EVA  
PLATFORM\_ ACC base + Compact High Back  
STRAPS\_ Elliptical  
PADDING\_ Standard  
FIXATION\_ Quick Rental



## RENTAL ACC JUNIOR

CODE\_ CA963216  
SIZE\_ S  
MATERIAL\_ PA+EVA  
PLATFORM\_ ACC base + Compact Lite  
High Back  
STRAPS\_ Elliptical  
PADDING\_ Standard  
FIXATION\_ Quick Rental



## RADON MICRO

CODE\_ CA862216  
SIZE\_ XS  
MATERIAL\_ PC+EVA  
PLATFORM\_ Base + High Back  
STRAPS\_ Traditional  
PADDING\_ Standard  
FIXATION\_ Traditional




## RENTAL BOOT

CODE\_ KR965616  
SIZE\_ 2-15  
MATERIAL\_ Rubber + Nylon  
LINER\_ L1 Liner + Tongue pull strap  
OUT SOLE\_ Rubber + Cushion pads +  
Tongue pull strap  
LACE\_ Flex Window + Laceless Liner


# Unique Technology

Elan Rental




## SKI EDGE TIP

Tips are fully surrounded with edges  
Edges in tips beyond contact points  
are rounded tip protectors for extra tip  
durability



## HD POWER SHELL

Extra thick top sheet (0,8mm)  
Special 3d structure for scratch & chip  
resistance  
scratches just on tips of structure



## POWER SHELL

Featured in inline ski models




## TOP SHEET & LAMINATE ASSEMBLY

Material fusion of top sheet and epoxy  
Benefit #1: improved top sheet durability  
Top sheet becomes load bearing material  
Benefit #2: improved performance




## SKI ASSEMBLY

Shell top sheet is assembled with other  
materials  
Complete top sheet is reinforced with epoxy  
support



## EXTRA THICK TOP SHEET

At .8 mm, our rental skis have the  
thickest top sheet in the ski industry.



## SEMI CAP / ROUND TOP EDGE

Reduces appearance of scratches.



## SKI CONSTRUCTION LAYERS

All layers extended to extremities for durability  
Special cutting procedure to unify layers

## VALIDATION



EXTENDED  
COLLISION  
TESTING IN  
ELAN LAB




-20 DEGREE  
EXTREME  
MATERIAL TEST



100.000 CYCLE  
STRESS TESTING





# Elan Helmets

Enhanced safety and peace of mind.

The passion for skiing and desire for increased safety has led to commonplace use of protective helmets. When applied, helmet use improves the protection and the safety of the user and other skiers, as well as promoting peace of mind, so that you can focus on enjoying your day on the mountain. At Elan, we understand how skiing improves our lives, brings us together, and prioritize safety so that we can enjoy days of skiing with friends and family for years to come.

## EON HELMET Technology

It's the first snowsports safety product completely designed in the Slovenian alps. Our team was challenged to ensure the best solution to protect skiers in any conditions. It's innovative design approach covers single or dual shell protection and best in class 360° comfort.



Helmet  
Collection



EON PRO VISOR  
Black

**CODE\_** CE020422051 (51-55), CE020422056 (56-59), CE020422060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** Retina Visor / 100% UV protection / IRDS Construction - Impact resistant double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Black



EON PRO VISOR  
White

**CODE\_** CE020622051 (51-55), CE020622056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** Retina Visor / 100% UV protection / IRDS Construction - Impact resistant double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** White



EON PRO  
Black/White

**CODE\_** CE221822051 (51-55), CE221822056 (56-59), CE221822060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Black/White



EON PRO  
Black

**CODE\_** CE121022051 (51-55), CE121022056 (56-59), CE121022060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Black



EON PRO  
White

**CODE\_** CE121422051 (51-55), CE121422056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** White



EON  
Petrol

**CODE\_** CE322022056 (56-59), CE322022060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 56-59 (M), 60-62 (L)  
**FEATURES\_** IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Petrol



EON  
Black

**CODE\_** CE322422056 (56-59), CE322422060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 56-59 (M), 60-62 (L)  
**FEATURES\_** IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Black



EON PRO  
Green

**CODE\_** CE120822051 (51-55), CE120822056 (56-59), CE120822060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Green



EON PRO  
Blue

**CODE\_** CE121622051 (51-55), CE121622056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Dark Blue



EON  
White

**CODE\_** CE322622051 (51-55), CE322622056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** White



EON  
Maroon

**CODE\_** CE322822051 (51-55), CE322822056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps  
**COLOR\_** Maroon

MEN



HYDE PRO  
BLACK VISOR

**CODE\_** CE100420051 (51-55) CE100420056 (56-59) CE100420060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** Inmold Construction / Retina Visor / Passive Airstream / AirFlowLiner / Ear-Shell Protection / Stealth Strap Design / ARC Construction / Designed in the Slovenian Alps  
**COLOR\_** Black



HYDE COMP

**CODE\_** CE101420051 (51-55), CE101420056 (56-59), CE101420060 (60-62)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)  
**FEATURES\_** Inmold Construction / Passive Airstream / AirFlowLiner / Stealth Strap Design / Designed in the Slovenian Alps  
**COLOR\_** Green



IMPULSE BLACK

**CODE\_** CE201620056, CE201620060  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 56-59 (M), 60-62 (L)  
**FEATURES\_** Inmold Construction / Controlled Airstream / Anti-Bacterial Liner / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** Black



IMPULSE BLUE

**CODE\_** CE201820056, CE201820060  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 56-59 (M), 60-62 (L)  
**FEATURES\_** Inmold Construction / Controlled Airstream / Anti-Bacterial Liner / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** Blue

W STUDIO



EVOQUE PRO VISOR

**CODE\_** CE302220051 (51-55), CE302220056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** BOA® 360 Fit System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** Inmold Construction / Retina Visor / Passive Airstream / AirFlowLiner / EarShell Protection / Stealth Strap Design / ARC Construction / Designed in the Slovenian Alps  
**COLOR\_** Black



EVOQUE COMP

**CODE\_** CE302420051 (51-55), CE302420056 (56-59)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 51-55 (S), 56-59 (M)  
**FEATURES\_** Inmold Construction / Passive Airstream / AirFlowLiner / Stealth Strap Design / Designed in the Slovenian Alps  
**COLOR\_** White



IMPULSE MAROON

**CODE\_** CE302820053, CE302820056  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 53-56 (S), 56-59 (M)  
**FEATURES\_** Inmold Construction / Controlled Airstream / Anti-Bacterial Liner / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** Maroon



IMPULSE WHITE

**CODE\_** CE302620053, CE302620056  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 53-56 (S), 56-59 (M)  
**FEATURES\_** Inmold Construction / Controlled Airstream / Anti-Bacterial Liner / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** White

JUNIOR



TWIST SET

**CODE\_** (XS 49-53) (S 53-56)  
CE4S3221 (Pink), CE4S3021 (Green),  
CE4S3421 (White), CE4S3621 (Blue), CE4S3821 (Black)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Jr. fit system  
**SIZES\_** 49-53 (XS), 53-56 (S)  
**HELMET FEATURES\_** Inmold Construction / Passive Airstream / Anti-Bacterial Liner / Stealth Strap Design / Removable Earpads / Designed in the Slovenian Alps  
**GOGGLE FEATURES\_** TPU frame / PC Lens, inner double lens + EVA / upper and lower inner vent foam / 2-layer face foam / silicon inside woven strap  
**COLOR\_** Green, Pink, White, Blue, Black



TWIST

**CODE\_** (XS 49-53) (S 53-56)  
CE403020 (Green), CE403220 (Pink),  
CE403420 (White), CE403620 (Blue),  
CE504420 (Black)  
**CONSTRUCTION\_** PC - Inmold  
**FIT SYSTEM\_** Jr. fit system  
**SIZES\_** 49-53 (XS), 53-56 (S)  
**FEATURES\_** Inmold Construction / Passive Airstream / Anti-Bacterial Liner / Stealth Strap Design / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** Green, Pink, White, Blue, Black



RENTAL



COLOR  
CODE

SPECTER RENTAL

**CODE\_** CE583818  
**CONSTRUCTION\_** ABS  
**FIT SYSTEM\_** Adjustable 180 System  
**SIZES\_** 51-55 (S - yellow), 56-59 (M - red), 60-62 (L - green)  
**FEATURES\_** ABS Construction / Passive Airstream / AirFlow Liner / Removable Earpads / Designed in the Slovenian Alps  
**COLOR\_** Black



ELAN SKI GOGGLES

**CODE\_** CL323023000  
**SIZE\_** Adult / One-Size  
**STRAP\_** 400mm with 3 stripe gripper silicon  
**FEATURES\_** Hi-quality lens with 100% UV protection /hi-quality nylon strap / stripe gripper silicon at inside strap / Bendable TRU frame / Anti-fog treatment / dual lense syystem (PC and CA) / Airflow ventilation frame / microfibra goggle bag / Designed in the Slovenian alps / Stanadard CE EN174  
**COLOR\_** Petrol/green

Bindings



Protector Fusion X Bindings  
Recommended By Your Knees



**WHAT**  
PROTECTOR – The safest binding position

**HOW**  
PROTECTOR with FULL HEEL RELEASE (FHR) - releasing 180° (laterally and vertically): reducing release values in forward & backward twisting falls.

**WHY**  
Thanks to FULL HEEL RELEASE (vertical & lateral) the new PROTECTOR binding can help reduce the risk of ACL injury, leading to a significant increase in safety.

HOW DOES  
IT WORK?



- 1

7 mm lateral movement in both directions.

**BENEFIT:**

This elasticity absorbs all impacts on the binding and avoids pre-releases.
- 2

Then 30° rotation: The rotation is only initiated when the loads are too high and the ski boot is released.



NEUTRAL POSITION

\* Protector bindings available as alternative binding option on all models with emx bindings. EMX 12 can be replaced by PROTECTOR 13.0 GW FX, and EMX 11, can be replaced by PROTECTOR 11.0 GW FX.

Protector bindings  
In Elan collection

	PROTECTOR 13.0 GW FX	PROTECTOR 11.0 GW FX	PROTECTOR SHIFT 11.0 GW	PROTECTOR SHIFT 10.0 GW
PRIMETIME	55, 55+, 44	33	N°5, N°4+, N°4,	N°3
ACE	SLX, GSX, SCX	SL	SPEED MAGIC SLX	
WINGMAN	86 CTI, 82 CTI, 86 BE	86 TI	82 TI, 78 TI	78 C
WILDCAT			86 CX, 82 CX, 86 C BE, 76 C BE	82 C



PROTECTOR 13 GW  
FUSION X

CODE\_ DB021022000  
COLOR\_ matt black/black  
Z-DIN\_ 4 - 13  
WEIGHT\_ 2370 g  
TOE TYPE\_ RX  
AFD\_ AFS GW  
HEEL TYPE\_ HR  
BRAKE\_ Protector Brake PR 85  
BRAKE CODE\_ P  
LENGTH\_ 255-378 mm  
BOOT NORM\_ A / GW



PROTECTOR 11 GW  
FUSION X

CODE\_ DB023022000  
COLOR\_ matt black/black  
Z-DIN\_ 3 - 11  
WEIGHT\_ 2320 g  
TOE TYPE\_ TX  
AFD\_ AFS GW  
HEEL TYPE\_ HR  
BRAKE\_ Protector Brake PR 85  
BRAKE CODE\_ P  
LENGTH\_ 255-378 mm  
BOOT NORM\_ A / GW



PROTECTOR SHIFT  
11 GW

CODE\_ DB331023000  
COLOR\_ matt black/black  
Z-DIN\_ 3 - 11  
WEIGHT\_ 1950 g  
TOE TYPE\_ TX  
AFD\_ HR Lite  
HEEL TYPE\_ HR  
BRAKE\_ Protector Brake SLR 80  
BRAKE CODE\_ N  
LENGTH\_ 255-371 mm  
BOOT NORM\_ A / GW



PROTECTOR SHIFT  
10 GW

CODE\_ DB331423000  
COLOR\_ matt black/black  
Z-DIN\_ 3 - 10  
WEIGHT\_ 1950 g  
TOE TYPE\_ TX  
AFD\_ HR Lite  
HEEL TYPE\_ HR  
BRAKE\_ Protector Brake SLR 80  
BRAKE CODE\_ N  
BOOT NORM\_ A / GW

Bindings  
All Mountan



EL 10.0  
GW

**CODE\_** DB697619000  
**COLOR\_** solid black/smoke  
**Z-DIN\_** 3 - 10  
**WEIGHT\_** 1650 g  
**TOE TYPE\_** TX  
**AFD\_** AFS GW  
**HEEL TYPE\_** SXG  
**BRAKE\_** SL Brake 78  
**BRAKE CODE\_** J  
**BOOT NORM\_** A/GW  
**LENGHT\_** ALL  
**BOOT RANGE\_** ALL

Bindings  
All Mountain JR.



EL 4.5 GW CA  
BLK / WHT

**CODE\_** DB929222000 (black),  
DB929022000 (white)  
**COLOR\_** solid black/white  
**Z-DIN\_** 0,75-4,5  
**WEIGHT\_** 1150 g  
**TOE TYPE\_** SX Kid  
**AFD\_** AFS GW AC  
**HEEL TYPE\_** SX Kid  
**BRAKE\_** SX Kid Brake 80  
**BRAKE CODE\_** I  
**BOOT NORM\_** A/C  
**BOOT RANGE\_** ALL



EL 7.5 GW CA  
BLK

**CODE\_** DB829522000  
**COLOR\_** Solid Black  
**Z-DIN\_** 2 - 7,5  
**WEIGHT\_** 1650 g  
**TOE TYPE\_** SX Jr.  
**AFD\_** AFS GW AC  
**HEEL TYPE\_** SX Jr.  
**BRAKE\_** SL Brake 78  
**BRAKE CODE\_** J  
**BOOT NORM\_** A/C  
**BOOT RANGE\_** ALL

Bindings  
All Mountain Rental



ESP 10.0 GW W/O  
BRAKE

**CODE\_** DD388418000  
**COLOR\_** Solid Black  
**Z-DIN\_** 2,5 - 10  
**WEIGHT\_** 2580 g  
**TOE TYPE\_** TX  
**AFD\_** AFS GW  
**HEEL TYPE\_** NX  
**BRAKE\_** W/O Brake  
**BRAKE CODE\_** D  
**BOOT NORM\_** A/GW  
**BOOT RANGE\_** 263-391



ESR 10.0 GW BRAKE

**CODE\_** DD498519000  
**COLOR\_** Solid Black  
**Z-DIN\_** 2,5 - 10  
**WEIGHT\_** 2200  
**TOE TYPE\_** TX  
**AFD\_** AFS GW  
**HEEL TYPE\_** NX  
**BRAKE\_** Power Brake² LD 85  
**BRAKE CODE\_** D  
**BOOT NORM\_** A/GW  
**BOOT RANGE\_** 263-351

Bindings  
Freeride



ATTACK 17 MN W/O  
BRAKE

**CODE\_** DD010121000  
**COLOR\_** solid black  
**Z-DIN\_** 6 - 17  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFS metal MN  
**HEEL TYPE\_** RACE PRO FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 2050 (2350) g  
**BRAKE CODE\_** A  
**BOOT NORM\_** A / G / W / T  
**BOOT RANGE\_** ALL

ATTACK 14 MN W/O  
BRAKE

**CODE\_** DD010521000  
**COLOR\_** solid black  
**Z-DIN\_** 4 - 14  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFS metal MN  
**HEEL TYPE\_** NX FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 1880 (2180) g  
**BRAKE CODE\_** A  
**BOOT NORM\_** A / G / W / T  
**BOOT RANGE\_** ALL



ATTACK 11 GW  
W/O BRAKE WHITE

**CODE\_** DD011221000  
**COLOR\_** solid white/black  
**Z-DIN\_** 3 - 11  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFS metal MN  
**HEEL TYPE\_** SX FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 1680 (1980) g  
**BRAKE CODE\_** A  
**BOOT NORM\_** A / G  
**BOOT RANGE\_** ALL

ATTACK 11 GW  
W/O BRAKE BLACK

**CODE\_** DD011121000  
**COLOR\_** solid black/black  
**Z-DIN\_** 3 - 11  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFD metal GW  
**HEEL TYPE\_** SX FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 1680 (1980) g  
**BRAKE CODE\_** A  
**BOOT NORM\_** ALL



ATTACK 14 MN DEMO  
W/O BRAKE

**CODE\_** DD011221000  
**COLOR\_** solid black  
**Z-DIN\_** 4-14  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFS metal MN  
**HEEL TYPE\_** NX FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 2190 (2490) g  
**BRAKE CODE\_** F  
**BOOT NORM\_** A / G / W / T  
**BOOT RANGE\_** 259-382 mm

ATTACK 11 MN DEMO  
W/O BRAKE

**CODE\_** DD011321000  
**COLOR\_** solid white/black  
**Z-DIN\_** 3 - 11  
**TOE TYPE\_** FR PRO³  
**AFD\_** AFS metal MN  
**HEEL TYPE\_** SX FR  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 2070 (2370)  
**BRAKE CODE\_** F  
**BOOT NORM\_** A / G  
**BOOT RANGE\_** 259-382 mm

Bindings  
Touring



AMBITION 12 MN  
W/O BRAKE

**CODE\_** DD003620000  
**COLOR\_** solid black/green  
**Z-DIN\_** 4 - 12  
**TOE TYPE\_** AT  
**AFD\_** AFS  
**HEEL TYPE\_** AT  
**BRAKE\_** W/O BRAKE  
**WEIGHT\_** 1980 g  
**BRAKE CODE\_** C  
**BOOT NORM\_** A / G / W / T  
**BOOT RANGE\_** 260-350 mm

Bindings  
 Race



ER 18.0 X RD FF ST

**CODE\_** DA000120000  
**COLOR\_** green/black  
**Z-DIN\_** 10,5-18  
**TOE TYPE\_** Stream  
**AFD\_** AFD ST POM (X)  
**HEEL TYPE\_** RACE PRO RD  
**BRAKE\_** PB² Race Pro 16-85  
**WEIGHT\_** 3150  
**BRAKE CODE\_** A  
**BOOT NORM\_** A  
**BOOT RANGE\_** 255-375 mm



ER 17.0 X FF ST

**CODE\_** DA000320000  
**COLOR\_** green/black  
**Z-DIN\_** 6-17  
**TOE TYPE\_** Stream  
**AFD\_** AFD ST Teflon  
**HEEL TYPE\_** RACE PRO  
**BRAKE\_** PB² Race Pro 17-85  
**WEIGHT\_** 2650  
**BRAKE CODE\_** A  
**BOOT NORM\_** A  
**BOOT RANGE\_** 255-375 mm



ER 14.0 GW FF

**CODE\_** DA020522000  
**COLOR\_** green/black  
**Z-DIN\_** 4-14  
**TOE TYPE\_** RX  
**AFD\_** AFS GW  
**HEEL TYPE\_** D RX  
**BRAKE\_** PB² LD 85  
**WEIGHT\_** 2340 g  
**BRAKE CODE\_** D  
**BOOT NORM\_** A / GW  
**BOOT RANGE\_** 257-372 mm



ER 11.0 GW FF

**CODE\_** DA520722000  
**COLOR\_** green/black  
**Z-DIN\_** 3-11  
**TOE TYPE\_** RX  
**AFD\_** AFS GW  
**HEEL TYPE\_** NX  
**BRAKE\_** PB² LD 85  
**WEIGHT\_** 2260  
**BRAKE CODE\_** D  
**BOOT NORM\_** A / GW  
**BOOT RANGE\_** 257-372 mm



ER 11.0 GW

**CODE\_** DA620922000  
**COLOR\_** green/black  
**Z-DIN\_** 3-11  
**TOE TYPE\_** RX  
**AFD\_** AFS GW  
**HEEL TYPE\_** NX  
**BRAKE\_** PB² LD 85  
**WEIGHT\_** 1920  
**BRAKE CODE\_** D  
**BOOT NORM\_** A / GW  
**BOOT RANGE\_** ALL



ER 14.0 GW  
FREEFLEX DEMO

**CODE\_** DA091919000  
**COLOR\_** fluo green/matt black  
**Z-DIN\_** 4-14  
**TOE TYPE\_** RX  
**AFD\_** AFS GW  
**HEEL TYPE\_** NX  
**BRAKE\_** PB² LD 85  
**WEIGHT\_** 2650 g  
**BRAKE CODE\_** D  
**BOOT NORM\_** A / GW  
**BOOT RANGE\_** 263 - 386mm

					ALL MOUNTAIN				TOURING		FREERIDE					TWEENER					
					WINGMAN 86 CTI / TI WILDCAT 86 CX	WINGMAN 82 CTI / TI WILDCAT 82 CX / C	PLAYMAKER 101	PLAYMAKER 91	RIPSTICK TOUR 104	RIPSTICK TOUR 94/94 W	RIPSTICK TOUR 88/88 W	RIPSTICK TOUR 80 T	RIPSTICK 116	RIPSTICK 106 & RIPSTICK 102 W	RIPSTICK 96 & 94 W	RIPSTICK 86 & 88 W	RIPSTICK 86 T /TW	LYNX 82 / UL / W	SLING SHOT	PRODIGY	LEELOO
COLOR CODE	ELAN BINDING MODELS	ART. NO.	SALES CODE	BRAKE MODEL / WIDTH																	
A	ER 18.0 X RD FREEFLEX ST	163033	DF163033000	Power Brake² Race PRO 17-85 [A]																	
	ER 17.0 FREEFLEX ST	163035	DF163035000	Power Brake² Race PRO 95 [A]																	
	ATTACK 17 MN	163036	DF163036000	Power Brake² Race PRO 110 [A]																	
	ATTACK 14 MN	163037	DF163037000	Power Brake² Race PRO 130 [A]																	
C	AMBITION 12 MN	163099	DF163099000	BRAKE AMBITION 95 (C)																	
		163100	DF163100000	BRAKE AMBITION 105 (C)																	
		z163101	DF163101000	BRAKE AMBITION 125 (C)																	
D	ER 14.0 FREEFLEX, ER 11.0 / FREEFLEX, ER 14.0 GW FREEFLEX DEMO, ESP 10.0 GW, ESR 10.0 GW	163045	DF163045000	Power Brake² LD 95 [D]																	
F	ATTACK 14 MN DEMO ATTACK 11 MN DEMO	163050	DF163050000	Powerrail Brake² LD 85 [F]																	
		163051	DF163051000	Powerrail Brake² LD 95 [F]																	
		163052	DF163052000	Powerrail Brake² LD 110 [F]																	
		163053	DF163053000	Powerrail Brake² LD 130 [F]																	
J	EL 10.0 GW EL 7.5 GW CA	162776	DF162776000	SL Brake 90 [J]																	
	C-RAIDER 12 2.0	XC-R12AE.086	DTTB2022086	Brake 86 mm																	
		XC-R12AE.091	DTTB2022091	Brake 91 mm																	
		XC-R12AE.097	DTTB2022097	Brake 97 mm																	
		XC-R12AE.108	DTTB2022108	Brake 108 mm																	
		XC-R12AE.120	DTTB2022120	Brake 120 mm																	
	RAIDER 12 DEMO 2.0.	RM12AE.086	DTTB2322086	Brake 86 mm																	
		RM12AE.091	DTTB2322091	Brake 91 mm																	
		RM12AE.097	DTTB2322097	Brake 97 mm																	
		RM12AE.108	DTTB2322108	Brake 108 mm																	
		RM12AE.120	DTTB2322120	Brake 120 mm																	
	RAIDER 10 DEMO	RM10.086	DTTB0521086	Brake 86 mm																	
		RM10.091	DTTB0521091	Brake 91 mm																	
		RM10.097	DTTB0521097	Brake 97 mm																	
		RM10.108	DTTB0521108	Brake 108 mm																	
		RM10.120	DTTB0521120	Brake 120 mm																	
	F-RAIDER 15 EVO	F-R15E.097	DTTB2723097	Brake 97 mm																	
		F-R15E.108	DTTB2723108	Brake 108 mm																	
		F-R15E.120	DTTB2723120	Brake 120 mm																	
	S-RAIDER 10	KLR10E.086	DTTB2923086	Brake 86 mm																	
		KLR10E.091	DTTB2923091	Brake 91 mm																	
		KLR10E.097	DTTB2923097	Brake 97 mm																	
	J-RAIDER 5	XRT5.086	DTTB2823086	Brake 86 mm																	



For additional information on mounting,  
 instalation and handling, check Elan  
 Technical manual.



# Elan Ski Poles

Perfect grip & easy adjustment paired with design from the Slovenian Alps.

When searching for a perfect ski pole to improve your Elan ski experience look no further than the newest Elan ski pole collection. Our complete range of ski poles is tested and proven at the highest level of skiing, assuring safety, comfort and control in every situation.



## Design and Colors

Poles are not only an important tool of the trade, we realize it's also important to have good looking equipment. Elan keeps graphics and trends fresh in design, with strong colors and coordinated looks.

## Grip

One of the more important features of the pole, the grip is the touchpoint between you and your poles all day long. Designed in the Slovenian Alps, featuring a hybrid design for efficiency, reduced weight, comfort and strength.

## Shaft

The heart of a ski pole is the shaft. Elan poles are offered in high grade 5083 or 7075 aluminum for extra strength and safety, high quality carbon, or composite glass fibers for a lightweight construction.

## Basket

Elan offers a wide range of various baskets specifically designed to give you the ultimate skiing experience.

## Tips

When it comes to contact with the snow, Elan provides a reliable grip anywhere on the mountain with the highest quality steel and carbide tips found on every pole.



VOYAGER  
ROD

**CODE\_** CD927622000  
**TYPE\_** Adult  
**LENGTH (CM)\_** 105-130  
(telescopic - packed size: 88mm)  
**SHAFT\_** Alu 7075 / Carbon  
**TUBE\_** Ø16 / Ø14  
**COLOR\_** Black  
**GRIP\_** Race Rubber Grip  
**STRAP\_** System strap wide  
**BASKET\_** Race basket 50 mm  
**FITS TO\_** Voyager package




TOUR CARBON  
ROD

**CODE\_** CD114021000  
**TYPE\_** Adult  
**LENGTH (CM)\_** 110-140  
(Telescopic, packed size: 98mm)  
**SHAFT\_** Alu 7075 / Carbon  
**TUBE\_** Ø16 / Ø14  
**COLOR\_** Petrol  
**GRIP\_** 2K Touring Foam  
**STRAP\_** Comfort Padded Strap  
**BASKET\_** Winter basket 85 mm



TOUR ALU ROD

**CODE\_** CD1114322000  
**TYPE\_** Adult  
**LENGTH (CM)\_** 95-140 (Telescopic)  
**SHAFT\_** Alu 7075  
**TUBE\_** Ø18/ Ø16  
**COLOR\_** Green  
**GRIP\_** Alpine Foam Grip, Rubber Grip Zone  
**STRAP\_** System strap  
**BASKET\_** Winter basket 85 mm



CARBON ROD

**CODE\_** CD231023 (petrol),  
CD231423 (black)  
**TYPE\_** Adult  
**LENGTH (CM)\_** 110-135  
**SHAFT\_** Carbon  
**TUBE\_** Ø 13 mm  
**COLOR\_** Petrol/green, black/white  
**GRIP\_** Race Rubber Grip  
**STRAP\_** Comfort Padded Strap  
**BASKET\_** Race Basket



SPEEDROD

**CODE\_** CD531623 (green),  
CD532023 (black), CD532423 (coral)  
**TYPE\_** Adult  
**LENGTH (CM)\_** 110-135  
**SHAFT\_** Alu 5083  
**TUBE\_** Ø 16 mm  
**COLOR\_** Green/petrol, black, coral/  
petrol  
**GRIP\_** Race Rubber Grip  
**STRAP\_** System Strap  
**BASKET\_** Race Basket



HOTROD

**CODE\_** CD632823 (green), CD633023 (black),  
CD633423 (blue), CD633823 (white),  
**TYPE\_** Adult  
**LENGTH (CM)\_** 110-135  
**SHAFT\_** Alu 5083  
**TUBE\_** Ø 16 mm  
**COLOR\_** Green, black, blue/black, white/powder  
pink  
**GRIP\_** Bulwark SIC Grip  
**STRAP\_** Not adjustable Strap  
**BASKET\_** Basket 55 mm




ROCKROD JR.

**CODE\_** CD834023 (green), CD834323 (black),  
CD834623 (pink)  
**TYPE\_** Junior  
**LENGTH (CM)\_** 75-85-95-100-105  
**SHAFT\_** Alu 5083  
**TUBE\_** Ø 14 mm  
**COLOR\_** Green, black, pink/black  
**GRIP\_** Jr ErgoForm Grip (green, black, pink)  
**STRAP\_** Not adjustable JR Strap  
**BASKET\_** Basket 50 mm (green, black, pink)



RENTALROD

**CODE\_** CD924022  
**TYPE\_** Adult  
**LENGTH (CM)\_** 110-135  
**SHAFT\_** Alu 7075  
**TUBE\_** Ø 16 / 9 mm  
**COLOR\_** Color Coded  
**GRIP\_** Black PU  
**STRAP\_** System standard Strap  
**BASKET\_** 50 mm in color coding



Bags

VOYAGER TRAVEL BAG

CODE\_ CG110620000

FEATURE OVERVIEW\_ Specially designed to fit Voyager skis, poles, helmet, boots and more

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 102\*25\*31.5 / 75L

COLOR\_ Black



VOYAGER 1P SKI BAG

CODE\_ CG212020000

FEATURE OVERVIEW\_ Specially designed to fit 1 pair Voyager skis, 1 pair poles

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 100 x 26 x 16cm / 34L

COLOR\_ Black



DEMO SKI BAG

CODE\_ CG190019000

FEATURE OVERVIEW\_ 5 Pair ski compartment / Extendable handle / Inner separator / Tightening straps / Silent wheels

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 206 x 35,5 x 21cm / 5 pair skis

COLOR\_ Green



SKI WRAP

CODE\_ CG190819000

FEATURE OVERVIEW\_ 3 Zipped Skis Compartment / 220 cm length / Padded structure

MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 225 x 150

COLOR\_ Black



1P/2P SKI BAG

CODE\_ CG291219000 (1P), CG291419000 (2P)

FEATURE OVERVIEW\_ One pair (1P) / Two pair (2P) ski compartment / Tightening straps

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 182 cm / 1 pair / 2 pair

COLOR\_ Black



5P SKI BAG

CODE\_ CG291523000

FEATURE OVERVIEW\_ 5 pair ski compartment / Tightening straps / Padded structure / Handles

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 200cm / 5 pairs

COLOR\_ Petrol



BLACK EDITION BAG

CODE\_ CG693219000

FEATURE OVERVIEW\_ Specially designed to fit Black edition skis

MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 190 x 12 x 23cm / 1 pair skis

COLOR\_ Black



RACE TRAVEL 165L BAG

CODE\_ CG190619000

FEATURE OVERVIEW\_ Extra large volume compartment / Extendable Handle / Silent Wheels / Long side pocket / Name tag pocket

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 40 x 43 x 91cm / 165L

COLOR\_ Green



AGT 25L BACKPACK

CODE\_ CG592419000

FEATURE OVERVIEW\_ Large main compartment / Sport apparel compartment / H2O Pocket / Key pocket / Phone Compartment / Two front pockets

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 27 x 17 x 50cm / 25L

COLOR\_ Black



DUALIE TRAVEL 90L BAG  
CARRY ON 50L BAG

CODE\_ CG302020000 (90L), CG302220000 (50L)

FEATURE OVERVIEW\_ Split Main Compartment / Front Small Pockets / Extendable handle / Silent wheels / Increased tightening straps / Carrying handles / Side pockets / Name tag pocket

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 44 x 33,5 x 80cm / 90L / 35 x 28 x 54,5cm / 50L (Cabin Luggage)

COLOR\_ Black



BOOT 30L BAG

CODE\_ CG211621000

FEATURE OVERVIEW\_ Boots + Helmet main compartment / Front pocket / Carrying shoulder strap

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 35,5 x 20 x 38cm / 30L

COLOR\_ Green



RACE 60L BACKPACK

CODE\_ CG190219000

FEATURE OVERVIEW\_ Large volume compartment / Front pocket / Upper pocket / Side pockets / Extendable Top Compartment / Wet Clothing Compartment / Air Vents / Padded Shoulder Straps / Chest clip / Name tag pocket

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 47,5 x 38 x 53,5cm / 60L (85L extended)

COLOR\_ Green



LIGHT 15L BACKAPCK

CODE\_ CG592619000

FEATURE OVERVIEW\_ Main compartment / 15" Laptop compartment / Front pocket / Passport pocket

MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 32 x 13 x 51cm / 15L

COLOR\_ Black



DUFFLE 30L BAG

CODE\_ CG592523000

FEATURE OVERVIEW\_ Main zipper compartment / side zipper compartment / front small pocket / inner accessories pocket / carrying hand & shoulder strap in one / 30L

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 30L

COLOR\_ Petrol/Green



LIGHT 8L BAG  
LIGHT 50L BAG

CODE\_ CG592819000 (small), CG593019000 (large)

FEATURE OVERVIEW\_ Mono compartment / Lightweight construction

MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 28,5 x 40cm / 8L

50 x 78,5cm / 50L

COLOR\_ Black



NEW  
MODEL

																		
SALES CODE	AARHLK20	AARHLL20	AARHLM20	ABKEW23, ABKEWC3 (Prot.)	ABBKJW23, ABBKJWC3 (Prot.)	ABCKLG23, ABCKLGC3 (Prot.)	ABDKLK23, ABDKLC3 (Prot.)	ABUKHF23, ABUKHFC3 (Prot.), ABMKHG23 (flat)	ABWKHK23, ABWKHKC3 (Prot.), ABPKHN23 (flat)	ABVKJG23, ABVKJGC3 (Prot.), ABMKJN23 (flat)	ABXKJ23, ABXKJRC3 (Prot.), ABRKKJ23 (flat)	ABYKKP23, ABYKKPC3 (Prot.)	ABYKKJ23, ABYKKSC3 (Prot.)	ABTKRA23, ABTKRAC3 (Prot.)	ADAJFD22	ADBJFN22	ADCFJX22	ADDJGG22
PROFILE	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio
TECHNOLOGY	Amphibio tech., Connect tech., Laminated Woodcore, Titanium reinforcement, Carbon Box	Amphibio tech., Connect tech., Laminated Woodcore, Titanium reinforcement, Carbon Box	Amphibio tech., Connect tech., Laminated Woodcore, Titanium reinforcement, Carbon Box	PowerMatch Technology, RST Sidewall, DualDensity Woodcore, Dual Ti	PowerMatch Technology, RST Sidewall, DualDensity Woodcore, Dual Ti	PowerMatch Technology, RST Sidewall, DualDensity Woodcore, Mono Ti	PowerMatch Technology, RST Sidewall, Power Woodcore, Mono Ti	Amphibio TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods	Amphibio TruLine Technology, SST Sidewall, Laminated Woodcore, Mono Ti	Amphibio TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods	Amphibio TruLine Technology, SST Sidewall, Laminated Woodcore, Mono Ti	Amphibio, TruLine Technology, PowerShell, Power Woodcore, Mono Ti	Amphibio TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Carbon	Amphibio TruLine Technology, Carbon Line Technology, (SST sidewall), Tubelite Woodcore, Carbon Rods	Carbon Line Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST, Sidewall, TubeLite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, VaporTip, Fibreglass
GEOMETRY	127/78/110	127/78/110	127/78/110	121/69/102	130/74/111	121/69/102	127/73/111	130/86/115	130/86/115	129/82/112	129/82/112	125/78/104	125/78/104	130/86/115	146/116/132	143/106/120	136/96/110	130/88/105
LENGTH RADIUS	154(11.5), 160(12.6), 166(13.7), 172(14.9), 178(16.0)	154(11.5), 160(12.6), 166(13.7), 172(14.9), 178(16.0)	154(11.5), 160(12.6), 166(13.7), 172(14.9), 178(16.0)	144(10.0), 151(12.2), 158(12.5), 165(13.7), 172(15.1), 179(16.5)	144(9.3), 151(10.4), 158(11.5), 165(12.8), 172(14.0), 179(15.3)	144(10.0), 151(12.2), 158(12.5), 165(13.7), 172(15.1), 179(16.5)	144(9.0), 151(10.0), 158(11.1), 165(12.2), 172(13.5), 179(14.7)	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)	160(12.0), 166(13.1), 172(14.5), 178(15.5), 184(16.7)	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)	152(11.6), 160(13.1), 168(14.6), 176(16.2)	152(11.6), 160(13.1), 168(14.6), 176(16.2)	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)	177(19.4), 185(20.4), 193(23.3)	164(16.0), 172(17.0), 180(18.1), 188(20.4)	164(15.1), 172(16.2), 180(18.0), 188(19.5)	148(13.0), 156(13.7), 164(14.2), 172(15.4), 180(17.0), 188(18.9)
WEIGHT																		
SYSTEM PLATE	Voyager Plate	Voyager Plate	Voyager Plate	Fusion X	Fusion X	Fusion X	Fusion X	Fusion X / Flat	Fusion X / Flat	Fusion X / Flat	Power Shift / Flat	Power Shift	Power Shift	Power Shift	Fusion X	Flat	Flat	Flat
BINDING	EMX 12.0 GW FUSION X	EMX 12.0 GW FUSION X	EMX 12.0 GW FUSION X	EMX 12.0 GW FUSION X BLK/GRN, PROTECTOR 13.0 GW FX	EMX 12.0 GW FUSION X BLK/SIL, PROTECTOR 13.0 GW FX	EMX 12.0 GW FUSION X BLK/ORG, PROTECTOR 13.0 GW FX	EM 11.0 GW FUSION X BLK/GRN, PROTECTOR 11.0 GW FX	EMX 12.0 GW FUSION X BLK/BLK, PROTECTOR 13.0 GW FX	EMX 11.0 GW FUSION X BLK/BLK, PROTECTOR 11.0 GW FX	EMX 12.0 GW FUSION X BLK/ORG, PROTECTOR 13.0 GW FX	ELX 11.0 GW SHIFT BLK/ORG, PROTECTOR SHIFT 11.0 GW	ELS 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW	EL 10.0 GW SHIFT BLK/GRN, PROTECTOR SHIFT 10.0 GW	EMX 12.0 GW FUSION X BLK/SIL, PROTECTOR 13.0 GW FX	ATTACK 17 MN W_0 BRAKE 130 [A]	ATTACK 14 MN W_0 BRAKE 110 [A]	ATTACK 14 MN W_0 BRAKE 95 [A]	ATTACK 11 GW W_0 BRAKE 95 [A]

																	
SALES CODE	ADBKMA23	ADCKMD23	ACXKFP23	ACYKFR23	ADGJSC21	ADHKHS23	ADKKHV23	ADXXCQ23	ADSKCZ23	ADTKCW23	ADPJZH22	AAJHRC21, AAJHRC2C (Prot.), AAJHRF21(plate)	AAJHRB21, AAJHRB2C (Protector)	AAKHRD21, AAKHRD2C (Protector)	AALHRE21, AALHRE2C (Prot.)	ABGKLD23	ABGKLC23
PROFILE	Amphibio	Amphibio	Surf rocker	Surf rocker	Amphibio	Amphibio	Amphibio	Mountain Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker	Camber	Camber	Camber	Camber	Parabolic Rocker	Parabolic Rocker
TECHNOLOGY	Carbon Line Tech., SST Sidewall, TubeLite Woodcore, QuadRod Reinf., 100% Recycled Vapor Tip Inserts	Carbon Line Tech., SST Sidewall, TubeLite Woodcore, QuadRod Reinf., 100% Recycled Vapor Tip Inserts	Dual Float Technology, Tubelite woodcore, Carbon rods, 360° Sidewall, Surf Rocker	Dual Float Technology, Tubelite woodcore, Carbon rods, 360° Sidewall, Surf Rocker	Carbon Bridge Technology, 360° Sidewall, Laminated Woodcore, Carbon Reinforcement, Fiberglass	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass	Carbon Bridge Technology, 360° Sidewall, Tubelite Woodcore, Carbon Reinforcement, Fiberglass	Bridge Technology, TubeLite Woodcore, Folding ski Technology, Fibreglass, Carbon Rods	AirLite Technology, (EST-Touring), AirLite Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base	AirLite Technology, (EST-Touring), Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base	AirLite Technology, (EST-Touring), Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base	AirLite Technology, (EST-Touring), R2 Frame Woodcore, Dual Ti, Power Rebound System	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti, Power Rebound System	Arrow Technology, RST Sidewall, R2 Frame Woodcore, Dual Ti, Power Rebound System	Arrow Technology, RST Sidewall, R2 Frame Woodcore, MonoTi, Power Rebound System	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	143/106/120	136/96/110	132/101/122	122/91/116	129/104/122	129/94/109	128/88/108	120/84/105	121/82/103	121/82/103	94/65/80	113/67/100	110/69/94	121/68/104	121/68/104	127/76/102	127/76/102
LENGTH RADIUS	164(16.0), 172(17.0), 180(18.1), 188(20.4)	164(15.1), 172(16.2), 180(18.0), 188(19.5)	164(16.0), 172(17.0), 180(18.1), 188(19.5)	166(19.0), 173(21.5), 172(17.0), 180(18.1), 188(19.5)	166(19.0), 173(21.5), 180(23.0), 187(25.4)	157(12.0), 164(13.7), 171(15.6), 178(17.4), 185(19.4)	148(13.7), 156(14.8), 163(15.6), 170(16.8), 184(18.8)	163(18.0), 170(19.0)	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)	150(22.0), 160(23.0)	155(13.5), 161(14.3), 167(15.1), 173(15.9), 179(16.7)	169(17.4), 174(19.0), 179(21.1)	154(11.0), 159(12.0), 164(12.8), 169(13.5)	154(11.0), 159(12.0), 164(12.8), 169(13.5)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)
WEIGHT	1900g/ski +/- 50g (180)	1710g/ski +/-50g (180)	1760 +/- 50g (180)	1630 +/- 50g (180)	1540 +/- 50g (180)	1490 +/- 50g (178)	1330 +/- 50g (177)	2320 g +/- 50 g/ski (with bindings)	1040 g +/- 50g (171)	1240 g +/- 50g (171)	690 +/- 30g (160)						
SYSTEM PLATE	Flat	Flat						Tactix plate									
BINDING	ATTACK 14 MN W_0 BRAKE 110 [A]	ATTACK 14 MN W_0 BRAKE 95 [A]	ATTACK 14 MN W_0 BRAKE 110 [A], ATTACK 11 GW W_0 BRAKE 110 (W)	ATTACK 14 MN W_0 BRAKE 95 [A], ATTACK 11 GW W_0 BRAKE 95 [A] (W)	C-RAIDER 12 2.0 - 108 mm	C-RAIDER 12 2.0 - 97 mm	C-RAIDER 12 2.0 - 91 mm	TACTIX 12 - 86 mm	S-RAIDER 10 - 86 mm	S-RAIDER 10 - 86 mm		EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX	EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX	EMX 12.0 GW FUSION X BLK/BLUE, PROTECTOR 13.0 GW FX	EMX 11.0 GW FUSION X BLK/GRN, PROTECTOR 11.0 GW FX	EL 10.0 GW SHIFT BLK/GRN	EL 10.0 GW SHIFT BLK/RED

TWEENER

KIDS

																		
	<b>RIPSTICK 86 T</b>	<b>RIPSTICK 86 TW</b>	<b>RIPSTICK TOUR 80 T</b>	<b>RC WINGMAN JrS</b>	<b>RC ACE JrS</b>	<b>RC MAGIC JrS</b>	<b>SLING SHOT Flat</b>	<b>PRODIGY Light Shift/ Flat</b>	<b>LEELOO Light Shift/Flat</b>	<b>PRODIGY TEAM JrS/ Flat</b>	<b>LEELOO TEAM JrS/ Flat</b>	<b>PRODIGY PRO JrS</b>	<b>LEELOO PRO JrS</b>	<b>JETT JrS</b>	<b>STARR JrS</b>	<b>SKY JrS</b>	<b>MAXX BLUE JrS</b>	<b>MAXX ORANGE JrS</b>
SALES CODE	AEJJW22	AEKJP22	ADLKHE23	ENKKB23	AELJNS22	AEMJNT22	ADRJPA22	AESJPB22, AESJPC22 (Flat)	AESJPG22, AESJPH22 (Flat)	AETJPD22, AETJPE22 (Flat)	AETJJP22, AELJPK22 (Flat)	AETJPF22	AELJPL22	AFDJNV22	AFDJNW22	AFFKKE23	AFDKKC23	AFDKKD23
PROFILE	Mountain Rocker	Mountain Rocker	Early Rise Rocker	Camber	Camber	Camber	JIB Rocker	JIB Rocker	JIB Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker
TECHNOLOGY	SST Sidewall, Laminated Woodcore, Fibreglass	SST Sidewall, Laminated Woodcore, Fibreglass	Full Power Cap, Twin-Compound Woodcore, Fibreglass	EST Sidewall, Channel Woodcore, Fibreglass	EST Sidewall, Channel Woodcore, Fibreglass	EST Sidewall, Channel Woodcore, Fibreglass	Monoblock, Laminated Woodcore, Fibreglass	Full Power Cap, Dual Woodcore, Fibreglass	Full Power Cap, Dual Woodcore, Fibreglass	Full Power Cap, Synflex, Fibreglass	Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	123/86/112	123/86/112	112/80/97	115/70/100	115/70/100	115/70/100	118/86/113	116/84/111	116/84/111	112/81.5/107	112/81.5/107	105/72/97	105/72/97	101/69/90	101/69/90	101/69/90	101/69/90	101/69/90
LENGTH RADIUS	138(11.5), 148(12.9), 158(15.0), 168(16.7)	138(11.5), 148(12.9), 158(15.0), 168(16.7)	120(11.5), 130(12.5), 140(13.0), 150(14.0), 160(15.0)	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)	110(6.1), 120(7.4), 130(9.0), 140(10.4), 150(11.9), 160(13.7)	149(11.9), 156(12.9), 161(14.0), 166(15.2), 171(16.3), 176(17.5)	155(13.8), 165(16.1), 175(18.4)	155(13.8), 165(16.1), 175(18.4)	125(9.6), 135(10.9), 145(12.3)	125(9.6), 135(10.9), 145(12.3)	95(5.4), 105(7.0), 115(8.8)	95(5.4), 105(7.0), 115(8.8)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
WEIGHT	1270 +/-50	1270 +/-50	980g +/- 50g (140)															
SYSTEM PLATE	Flat	Flat	Flat	Junior Shift	Junior Shift	Junior Shift	Flat	Light Shift / Flat	Light Shift / Flat	Junior Shift / Flat	Junior Shift / Flat	Junior Shift	Junior Shift	Junior Shift	Junior Shift	Junior Shift	Junior Shift	Junior Shift
BINDING	ATTACK 11 GW W_0 BRAKE 95 [A], J-RAIDER 5 - 91 mm	ATTACK 11 GW W_0 BRAKE 95 [A], J-RAIDER 5 - 91 mm	J-RAIDER 5 - 86 mm	EL 4.5, 7.5 GW CA JRS BLK	EL 4.5, 7.5 GW CA JRS BLK	EL 4.5, 7.5 GW CA JRS WHT	ATTACK 11 GW W_0 BRAKE 95 [A]	EL 10.0 GW SHIFT BLK/BLK, ATTACK 11 GW W_0 BRAKE 95 [A]	EL 10.0 GW SHIFT BLK/BLK, ATTACK 11 GW W_0 BRAKE 95 [A]	EL 4.5, 7.5 GW CA JRS WB BLK	EL 4.5, 7.5 GW CA JRS WB BLK	EL 4.5 GW CA JRS BLK	EL 4.5 GW CA JRS WHT	EL 4.5, 7.5 GW CA JRS BLK	EL 4.5, 7.5 GW CA JRS WHT	EL 4.5, 7.5 GW CA JRS WHT	EL 4.5, 7.5 GW CA JRS BLK	EL 4.5, 7.5 GW CA JRS BLK

PRIMETIME W

ACE W

WILDCAT W

BLACK ED.

RIPSTICK W

BLACK ED.

RIP. TOUR W

LYNX W

ELEMENT W

	NEW MODEL	NEW MODEL	NEW MODEL	NEW MODEL	NEW DESIGN & CONSTRUCTION											NEW DESIGN	NEW DESIGN & CONSTRUCTION	NEW MODEL	NEW DESIGN	NEW DESIGN		
																						
SALES CODE	ACBKLN23, ACBKLC3 (Prot.)	ACCKLR23, ACCKLC3 (Prot.)	ACCKLU23, ACCKLU3 (Prot.)	ACCKLN23, ACCKLC3 (Prot.)	AALKNL23, AALKLC3 (Prot.)	ACAUSR22	ACRHF22, ACRHFWC2 (Prot.), ACMHF22 (Flat) Amphibio	ACSHGC22, ACSHG22 (Prot.), ACNHHG22 (Flat) Amphibio	ACTHGC22, ACTHGC2 (Prot.), ACPHGN22 (Flat) Amphibio	ACUHF22	ACRJHG22, ACRJHGC2 (Prot.)	ADFHJA22	ADFHJB22	ADFHJC22	ADEJMW22	ADHKHY23	ADKKJB23	ADUKRP23	ABGKLF23	ABGKLE23		
PROFILE	Amphibio	Amphibio	Amphibio	Amphibio	Camber	Camber	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Early Rise Rocker	Parabolic Rocker	Parabolic Rocker	
TECHNOLOGY	PowerMatch Technology, RST Sidewall, DualDensity Woodcore, Dual Ti	PowerMatch Technology, RST Sidewall, DualDensity Woodcore, Mono Ti	Power Match Technology, RST Sidewall, Dual Density Woodcore, Mono Ti	Power Match Technology, RST Sidewall, Dual Density Woodcore, Mono Ti	Arrow Technology, RST Sidewall, R2 Frame Woodcore, DualTi, Power Rebound System	EST Sidewall, Channel Woodcore, Mono Ti	Amphibio TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods	Amphibio TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods	Amphibio TruLine Technology, SST Sidewall, Laminated Woodcore, Carbon Reinforcement	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement	Amphibio TruLine Technology, SST sidewall, Laminated Woodcore, Carbon Reinforcement	Carbon Line Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Line Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, VaporTip, Fibreglass	Carbon Bridge Technology, (360° Sidewall), Tubelite Woodcore, Carbon Reinforcement, Fibreglass	Carbon Bridge Technology, (360° Sidewall), Tubelite Woodcore, Carbon Reinforcement, Fibreglass	AirLite Technology, EST-Touring, Laminated Woodcore, Carbon Reinforcement, Titanal Binding Reinforcement, Sintered running base	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	
GEOMETRY	121/69/102	130/74/111	121/69/102	127/73/111	120/68/103	119/72/103	127/86/113	129/82/112	129/82/112	127/76/104	127/86/113	127/76/104	143/102/120	136/94/110	130/88/105	136/94/110	129/94/109	127/88/106	121/82/103	127/76/102	127/76/102	
LENGTH RADIUS	144(10.0), 151(12.2), 158(12.5), 165(13.7), 172(15.1)	144(9.3), 151(10.4), 158(11.5), 165(12.8)	144(10.0), 151(12.2), 158(11.5), 165(13.7)	144(9.0), 151(10.0), 158(11.1), 165(12.2)	145(10.5), 154(11.0), 158(12.0), 164(12.8), 169(13.5)	142(10.4), 150(11.9), 158(13.7)	152(12.9), 158(13.8), 164(14.7), 170(15.6)	146(11.0), 152(11.0), 158(12.0), 164(13.1), 170(14.3)	146(11.0), 152(11.0), 158(12.0), 164(13.1)	144(10.1), 150(11.5), 158(13.9), 166(14.4)	152(12.9), 158(13.8), 164(14.7), 170(15.6)	144(10.1), 150(11.5), 158(13.9), 166(14.4)	154(15.0), 162(15.8), 170(17.0), 178(18.1)	146(13.2), 154(14.0), 162(15.0), 170(16.2), 178(18.0)	146(13.0), 154(13.7), 162(14.2), 170(15.4), 178(17.0)	146(13.2), 154(14.0), 162(15.0), 170(16.2), 178(18.0)	157(12.0), 164(13.7), 171(15.6), 178(17.4)	148(13.7), 156(14.8), 163(15.6), 170(16.8), 177(17.6)	150(13.0), 157(14.5), 164(16.1), 171(17.6), 178(19.6)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	
WEIGHT													1750g +/- 50g (170)	1570g +/- 50g (170)	1445g +/- 50g (170)	1590g +/- 50g (170)	1410 +/-50g (171)	1150 +/-50g (163)	1240 g +/- 50g (171)			
SYSTEM PLATE	Power Shift	Power Shift	Power Shift	Power Shift	Power Shift	Power Shift	Power Shift / Flat	Power Shift / Flat	Power Shift / Flat	Light Shift	Power Shift	Power Shift	Flat	Flat	Flat	Flat	Flat	Flat		Light Shift	Light Shift	
BINDING	ELW 11.0 GW SHIFT BLK/CDR, PROTECTOR SHIFT 11.0 GW	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW	ELW 11.0 GW SHIFT BLK/ PURPLE, PROTECTOR SHIFT 11.0 GW	EL 10.0 GW SHIFT BLK/TRQ, PROTECTOR SHIFT 11.0 GW	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW	EL 9.0 GW SHIFT BLK/BLK	ELW 11.0 GW SHIFT BLK/PURPLE, PROTECTOR SHIFT 11.0 GW	ELW 11.0 GW SHIFT BLK/TRQ, PROTECTOR SHIFT 11.0 GW	ELW 9.0 GW SHIFT BLK/PURPLE, PROTECTOR SHIFT 10.0 GW	ELW 9.0 GW SHIFT BLK/TRQ	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW	ELX 11.0 GW SHIFT BLK/BLK, PROTECTOR SHIFT 11.0 GW	ATTACK 14 MN W_0 BRAKE 110 [A]	ATTACK 11 GW W_0 BRAKE 95 [A]	ATTACK 11 GW W_0 BRAKE 95 [A]	ATTACK 11 GW W_0 BRAKE 95 [A]	ATTACK 11 GW W_0 BRAKE 95 [A]	C-RAIDER 12 2.0 - 97 mm	C-RAIDER 12 2.0 - 91 mm	S-RAIDER 10 - 86 mm	EL 9.0 GW SHIFT BLK/BLK	EL 9.0 GW SHIFT BLK/BLK

Ski Technologies



# Ski Technologies

Innovation Delivers Experience

At Elan, we've been innovating for decades for one simple purpose – to make the skiing experience better for everyone, from beginner to expert. Decades of constantly pushing the design envelope – from sidecuts to constructions, materials to production processes – we challenge ourselves to design the best performance, highest quality, state-of-the-art products for friends and families to enjoy great days on the mountain. It is with this uncommon valor that we have committed our brand to this one goal, and to deliver on our promise to make every day the best day on snow for Elan skiers.

PROFILES



AMPHIBIO PROFILE

Amphibio technology is a revolutionary ski design that integrates both rocker and camber profiles into dedicated left and right skis. Amphibio skis feature a cambered inside edge assuring precision, edge grip and stability - while a rockered outside edge provides forgiveness, turning ease and smooth transitions.



CAMBER PROFILE

A cambered profile has edge contact from tip to tail and provides superior edge grip, stability, and power transmission over the full length of the ski.




PARABOLIC ROCKER PROFILE

This unique Elan design combines a generous amount of sidecut with slightly lifted tip and tail, which results in easy turn initiation with less effort. This combination allows a skier to progress faster and with this progression, passion for skiing increases.



EARLY RISE ROCKER PROFILE

Early Rise Rocker provides smooth and effortless turns thanks to a moderate amount of rockered tip incorporated into the ski.



MOUNTAIN ROCKER PROFILE

Mountain Rocker profile incorporates moderate tip and tail rocker for better flotation, easier turn initiation and versatility in varied snow conditions. Combined with a moderate amount of camber underfoot, Mountain Rocker also delivers great precision and stability on groomed slopes.

CORE TECHNOLOGY



SURF ROCKER PROFILE

Surf Rocker is the collab of perfectly shaped tips and tails with smooth rocker profiles that deliver a buttery and surfy feel in any situation.



JIB ROCKER PROFILE

Jib Rocker provides pipe and park riders with the perfect amount of tip and tail rocker to maximize pop and power, while ensuring smooth landings, transitions and butters.



AMPHIBIO TECHNOLOGY

Amphibio Tech is the complete, full dimension asymmetrical ski design. Influencing both the profile and construction of dedicated right and left skis.



AMPHIBIO TRULINE TECHNOLOGY

Amphibio Truline elevates the asymmetrical ski design to the next dimension by strategically locating materials over the edges of the skis. Structural material is placed over the full length of the inside ski edge, providing more stability to power the turn - while less material is applied over the outside edge, resulting in a smooth and easy perfect turn.




AMPHIBIO CARBON LINE TECHNOLOGY

Amphibio Carbon Line technology is a combination of innovations that provide the best balance of lightweight construction with power and performance. Amphibio Carbon Line technology elevates the asymmetrical ski design to the next level by strategically locating carbon reinforcement over the inside edges of the skis providing more power in the turn, while carbon rods inserted into the woodcore maximize weight savings and overall stability. The end result is an extremely lightweight high performance ski with uncompromised versatility and smooth performance.




POWER MATCH TECHNOLOGY

With Power Match Technology, the construction of the ski is matched to how the skier puts power to the snow, allowing the skier more natural control of the inside and outside edges for the most intuitive feel throughout the turn.



ACE ARROW TECHNOLOGY

Ace Arrow technology is the utilization of strategically shaped plates and titanal structural layers in the ski that work in harmony to deliver a lightning quick response with world-class precision and accuracy. Upper arrow shaped titanal layer brings instant superior edge pressure, while lower inverse arrow shaped titanal layer brings quickness to turn entry and stability on turn exit.




U-FLEX TECHNOLOGY

U-Flex technology is a unique construction and profile that allows a junior ski to be 25% more flexible. In combination with the lightweight Synflex core, Full Power Cap construction and Early Rise Rocker profile, U-Flex allows kids to learn to ski on their edges from day 1. This unique and patented technology enables easy learning and a better learning experience.



BRIDGE TECHNOLOGY

Bridge technology is a unique design that reduces weight and enhances performance. An ultra-thin wood core profile is reinforced with bridge inserts from tip to tail providing torsional stability and unparalleled power transfer to the edges.




CARBON BRIDGE TECHNOLOGY

Carbon Bridge Technology, is a revolutionary solution where a single carbon rod placed on the upper part of the ski, provides stability, dampening, and vibration absorption through the tip.



CONNECT TECHNOLOGY

Elan's revolutionary Connect Technology®, which uses a highly advanced mechanism that bonds and seals the ski together at the folding joint, and allows the ski to fold into a compact, easy to transport package. All components slip together and seal securely, making a structurally strong, robust and lively ski for a great experience.



AIRLITE TECHNOLOGY

AirLite is a unique lightweight ski technology that offers the best ratio of weight to performance in the race world. A technically perfected 3D shape in combination with innovative core construction, establishes strength and stability of the ski at an unbelievably light weight.




DUAL FLOAT TECHNOLOGY

Dual Float Technology blends 3D Trapezoid construction which provides a stable and powerful platform under foot, while the razor thin profile in the tip and tail reduces weight and maximizes float, in either direction.



GROOVE TECHNOLOGY

Groove Technology is ultimate confidence booster. It harmonizes balance and control with rib-shaped energizers that create a uniform flex profile, helping skiers find the stability they need to excel on the mountain. In the turn, the grooves assure a powerful, energized performance.



RST - RACING SIDEWALL TECHNOLOGY

The RST Construction optimizes the transfer of power and energy from the skier to the edge, providing maximum edge hold from the tip to the tail of the ski.




#### SST - SLANTED SIDEWALL TECHNOLOGY

The SST Construction provides quick, nimble and direct power transmission from the ski to snow as well as providing exceptional torsional rigidity.




#### PST - PARTIAL SIDEWALL TECHNOLOGY

The PST construction is the best balance of power and forgiveness. The Cap/ Sidewall construction is both lightweight and forgiving while equally powerful and stable.



#### EST - EXTENDED SIDEWALL CONSTRUCTION

Extended sidewall construction, delivering perfect power transmission from skier to the edge and stability of the ski is uncompromised.



#### EST - EXTENDED SIDEWALL CONSTRUCTION - TOURING

Extended sidewall construction delivers perfect power transmission from skier to the edge and uncompromised stability, for superior race performance.



#### POWER SHELL

Side to side reinforced shell construction, distributing force and stability to every inch of the ski without adding extra weight. Skiers on skis with power shell construction benefit from direct and powerful force transmission throughout the ski assuring perfect control.



#### MONO WOODCORE

The Mono Woodcore consists of a lightweight wood stringer in the middle section that provides enhanced edge-to-edge responsiveness and effortless carving.




#### TWIN COMPOUND WOODCORE

Specially designed for Teenager touring skis, Twin Compound Woodcore is a perfect match of wooden reinforcing structure for lightness, responsiveness and power, and PU material for added smoothness.



#### DUAL TI / TI2

Dual Ti is a sandwiched wood core with 2 layers of titanium. The construction provides superior edge control and a progressive flex pattern for high performance skis.



#### QUADROD REINFORCEMENT

Expanded upon its Tubelite Woodcore, which features two full-length carbon rods placed in the core, adjacent to the edges and the shape of the sidecut, by adding two additional carbon rods to the center of the ski, one in the tip and one in the tail, resulting in QuadRod Technology. It delivers next level smoothness and grip, with a natural flex pattern for the perfect blend of playful, yet powerful performance.




#### TITANAL BINDING REINFORCEMENT

The TITANAL BINDING REINFORCEMENT is compatible with all commercial bindings and is reinforced with extra composite reinforcement for safe and secure mounting.



#### HD POWER SHELL

Featured only on Elan rental skis, the HD Shell exceeds rental industry standards with an extra thick top sheet for extreme durability, scratch and chip resistance, and long-lasting performance for years of use. The HD Shell is not only easy to clean and maintain but also customizable with a specific area on the ski where rental shops can place its own logo sticker for increased recognition in the shop and on the slopes



#### 360° SIDEWALL

360° Sidewall is a unique and effective sidewall solution to maximize performance while keeping the weight low. Pyramidal shaped sidewalls are positioned throughout the whole body of the ski, to increase vibration absorption and high-speed stability.



#### FULL POWER CAP

Full Power Cap is a traditional cap construction that is light, easy to turn and forgiving.



#### FUSION X

The Fusion X is Elan's next generation of high performance binding system. The new single connection design enables a smoother free flex between the ski and binding leading to easy turn initiation. At 30% lighter, the new pyramidal-shaped construction is reinforced with titanium for additional strength and direct, powerful edge-to-edge responsiveness. Skiing at high speeds is now more accurate due to direct power transmission.




#### POWER SHIFT

The PowerShift is a fully integrated binding system with the free flex plate-in- plate design. Unique PowerEdge Lifters provide direct energy transmission ensuring quick turn initiation and power throughout the turn. Vibration absorbers fore and aft on the plate dampen chatter to maximize edge hold and responsiveness.




#### CARBON ROD REINFORCEMENT

Lightweight Carbon tubes inserted into the ski and run the length of the ski following the arc of the side cut. The carbon tubes provide torsional stability and powerful rebound while allowing for material reduction of the core. The result is incredible lightweight response and stability.




#### CTI - CARBON TITANIUM REINFORCEMENT

The CTI is the new generation of ski design construction for wider platform high performance skis. The lightweight design engages a layer of titanium with longitudinal carbon rods to provide torsional stability, a powerful rebound and smooth transitions from turn to turn.




#### CARBON REINFORCEMENT

One of the most innovative designs in adventure skiing, Elan's carbon reinforced construction is extremely lightweight and adds torsional rigidity to create superior performance.



#### MONO TI

The Mono Ti construction uses a single layer of titanium on top of the woodcore for increased performance and responsiveness.



#### FIBREGLASS

Fiberglass reinforcement optimizes the flex pattern and enhances torsional rigidity of the ski. The fiberglass is positioned either above or below the ski core and improves a skis structural integrity.



#### LIGHT SHIFT


The LightShift System is a fully integrated binding system with a free flex plate-in-plate design. Constructed with light materials and a lean design profile, the LightShift system offers incredible weight reduction that allows skiers to maximize performance with less energy. Vibration absorbers fore and aft on the plate dampen chatter to maximize edge hold and responsiveness.



#### JRS


Jrs Junior System is modern, lighthouse design, enabling unified flex of a ski., enabling easy learning and fast progression to a higher level. Incorporated locking rails make system extremely light and deliver extraordinary flex. Size adjusting scales are deepened, therefore well protected, what makes JrS Junior System easy to adjust and longlasting. Due to all attributes, JrS is a perfect match with U-Flex ski design, making skiing as easy as walking.

#### CORE



#### R² FRAME WOODCORE

The R² FRAME wood core is a unique tip-to-tail laminated wood core where a softer wood center is reinforced by a hardwood frame, allowing the core material to distribute forces evenly from tip to tail. This robust construction allows for a variety of flex patterns for different skiing types and giving skier pure skiing confidence feel.



#### LAMINATED WOODCORE

This tip-to-tail Laminated Woodcore is specially shaped for each model and size. Using different wood types in various combinations allows for the adjustment of the flex pattern for different types of performance. This extremely responsive and highly durable wood core transmits power directly to the edges and excels in a variety of conditions.



#### AIRLITE LAMINATED WOODCORE


The AirLite Laminated Woodcore is our lightest wood core construction, specially developed for high-performance, lightweight touring skis. Using carefully selected ultralight paulownia with strategically placed air pockets guarantees the optimal balance between lightness and strength, without sacrificing performance.

#### BASE



#### SINTERED BASE

The special ultra-high molecular weight running base delivers excellent durability and superb gliding performance in variety of conditions




#### TUBELITE WOODCORE

To create the Tubelite Woodcore, two super lightweight Carbon tubes are inserted into a lightweight laminated wood core. These tubes run the length of the ski following the arc of the side cut. They provide torsional stability and powerful rebound while allowing for material reduction of the core. The result is incredible lightweight response and stability.



#### CHANNEL WOODCORE

Specially designed for kids, where channels are cut into poplar core, delivering responsiveness and optimal flex at the same time.



#### POWER WOODCORE

The Power Wood Core features a power-frame composed of poplar that is vertically connected to laminates, a structure that provides increased torsional stability and responsiveness. This composite construction delivers enhanced edge hold in the tip and tail areas and a uniform flex throughout the length of the ski



#### DUAL WOODCORE

Dual Woodcore features two symmetrical wooden stringers placed on the outer edges of the ski core. This construction improves power transmission and edge hold while keeping ski easy to handle in various snow conditions.



#### DUAL DENSITY WOODCORE

The Dual Density Woodcore supports Power Match Technology through a unique construction that utilizes a thicker profile and stronger materials along the inside edge for power, stability, edge grip, and rebound. The outside edge has a thinner profile in the tip and tail and uses lighter materials for intuitive maneuverability, weight reduction, ease, and smoother tracking.

ELAN in word & shape, Always Good Times, We Rule, ACE, SLX, GSX, SCX, AMPHIBIO, VOYAGER, Wingman, Wildcat, CONNECT TECHNOLOGY, FUSION, EARLY RISE, Wavelflex,« are trademarks of Elan, d.o.o., registered in the U.S. Patent and Trade Mark Office. For "Primetime, Playmaker" the registration is pending.

This book was developed and printed responsibly.

